SOME BIOLOGICAL ACTIVITIES, FIELD OBSERVATIONS AND DETERMINATION OF DAMAGE OF EUCALYPTUS STEM BORER, PHORACANTHA SEMIPUNCTATA F.

BATT A.M. AND S.M. HAGGAG

Plant Protection Research Institute, Agricultural Research Centre, Dokki, Giza, Egypt.

(Manuscript received April 2001)

Abstract

Follow-up of biological activities of eucalyptus stem borer, *Phoracantha semipunctata* F. (Coleoptera:Cerambycidae) showed that preoviposition, oviposition, post-oviposition and incubation periods recorded 2.25 (1-5), 6.45 (2-12), 5.05 (2-10) and 9.3 (6-13) days, respectively. Durations of pre-pupa and pupa listed 9.5 (3-17) and 15.65 (12-19) days, respectively. The number of pupal chambers and emerged beetles / mother female were 22.8 (8-38) chambers and 19 (7-32) beetles, respectively. Adult hardness recorded 6.55 (4-9) days, the female lived 13.7 (4-25) days, while the male lived 11.25 (5-19) days. The female laid 42.7(12-81) eggs, the percentage of egg death was 21.8 % (6.1-37.5 %).

Field observations revealed that attack density represented by number of egg batches varied from 4 to 11 batches per eucalyptus log (45- $110 \mathrm{cm.long}$). The number of eggs / batch was 24.48 (6-68) eggs. Hatching percentage (75.71%) differed from 50 % to 93.9 %. Larval density(428.03 larvae /m²) resulted 68.36 % death in number of hatching larvae, 280 full grown larvae (135.42 pupal chamber /m²), 217 emerged beetles (104.95 adult /m² & 22.5 % death in pupae) and 75.48 % reduction in the broods. Three periods of emergence were observed from stored infested logs during June 1999 to June 2000, the first was after 18 weeks during 3rd week of October to 2nd week of November (21.06 % emergence), the second occurred after 30 weeks during 3rd week of January to 3rd week of February (73.68% emergence) and the third was noticed after 48 weeks during 1st week of June (5.26 % emergence).

The estimated damage of lost wood volume average 263.08cm³ / maturity larva or pupal chamber and each one female can be destroyed about 5998.22 cm³ (average) from attacked wood by her brood.

INTRODUCTION

The eucalyptus stem borer, *Phoracantha semipunctata* F, is the commenest and most economically important insect pest that invades freshly and recently cut eucalyptus trees. Larvae bore in the cambium region under the bark making oval irrgular winding tunnels that are tightly packed with their frass (larval feeding layer). As larvae ap-

proach maturity, each larva excavates a pupal chamber inside the wood (pupal layer) in which it transforms into pupa and adult afterward then emergence takes place. Due to numerous interconnected tunnels, the bark becomes loose and easily detach. The most damage of this pest is highly related to reduction in the wood yield of cut trees by larval feeding and pupation of full-grown larvae.

In Egypt, many researchers (Alfieri, 1976; Nour, 1963; El-Sebay, 1978; Batt, 1989; Okil, 1991; Haggag, 2000) reported that *P. semipunctata* infested eucalyptus trees. However, Nour, 1963 and Moussa, 1977 listed poplar and *Ficus nitida* as host of this insect.

The aim of the present work is to add some knowledge on the biological activities, new field contribution and precise information about the damage of attacked wood by estimating the volume of lost wood caused by this pest.

MATERIALS AND METHODS

During the 1st half of June 1999, seven freshly eucalyptus pieces (logs) recently infested by *P. semipunctata* were collected from wood piles, one week after felling, that were accumulated and stored on the sides of agricultural roads at Enshas district, Sharkyia Governorate. These pieces were transferred to PPRI, laboratory at Dokki, Giza and continuous observations was carried out to estimate the number of egg batches, number of eggs laid in each batch, hatching percentage and larval density. The logs were kept in wire screen wooden cages for one year and the adults emergence and activity periods were recorded. At the end of beetles emergence, the bark was removed and the total number of pupal chambers and exit holes were counted to estimate the percentage of adult emergence from pupae (adult availability).

Another infested cuttings were placed in wire screen cages (each, 60 x 60 x 90 cm.) and examined daily until the emergence of beetles. Twenty couples of emerged beetles were confined in 20 cages provided with fresh eucalyptus cuttings (each 50cm.long and 15cm.diameter) to determine the ovipositional periods, number of eggs laid, adult longevity and incubation period. Hatching larvae left to bred in attacked cuttings and continuous observations were made until the emergence of beetles, the bark was removed and the pupal chambers were counted. To estimate the duration of

pre-pupa, pupa and adult hardness, 20 full grown larvae were extracted from their pupal chambers and each one was put in a Petri-dish. Daily inspection was made to observe the different transformation and calculate the durations of different stages.

Determination of wood volume losses: Wood volume losses (devastated wood) by *P. semipunctata* damages resulting from larval feeding and proceeding pupal chambers were estimated according to the following equation:

$$V = B - A$$

laboratory conditions.

Where, V=volume of lost wood

B = size of wood pieces before infestation (length of wood pieces x its sectorial area)

A = size of wood pieces after remove the consumed layer due to larval feeding and lost wood by pupal chambers (depth of pupal chambers) = length of wood pieces x remanent sectorial area.

The volume of destroyed wood of each pupal chamber = total volume of lost wood + total number of pupal chambers.

The volume of destroyed wood of each mother female = number of pupal chambers / female x volume of lost wood / pupal chamber (maturity larva).

RESULTS AND DISCUSSION

A. Biological activities of eucalyptus stem borer, *P. semipunctata:*Data in Table 1 show certain biological activities of eucalyptus stem borer under mean

a. Ovipositional periods: Under mean laboratory conditions of 30.8°C and 62.5 % R.H., the pre-oviposition, oviposition and post-oviposition periods recorded 2.25 \pm 1.13 (range, 1-5), 6.45 \pm 2.92 (range, 2-12) and 5.05 \pm 2.85 (range, 2-10) days, respectively.

Table 1. Certain biological activities of eucalyptus stem borer, *P. semipunctata* under mean laboratory conditions.

D:! -	Durati	on (in days)	Lab. cond.				
Periods	Range	Av. <u>+</u> S.E.	Temp.°C	R.H.%			
Ovipostional periods		ndM ₁					
Pre-ovipostion	1-5	2.25 <u>+</u> 1.13	30.8	62.5			
Ovipostion	2-12	6.45 ± 2.92	30.8	62.5			
Post-ovipostion	2-10	5.05 ± 2.85	30.8	62.5			
Incubation period	6-13	9.30 <u>+</u> 2.23	31.2	61.8			
Pre-pupa	7-13	9.50 <u>+</u> 1.72	27.6	60.2			
Pupa	12-19	15.65 ± 2.10	29.8	59.9			
Adult hardness	4-9	6.55 ± 1.53	31.6	62.4			
Adult longevity							
Female	4-25	13.70 ± 5.73	31.2	63.3			
Male	5-19	11.25 ± 4.36	31.2	63.3			
No.of eggs laid	12-81	42.7 ± 20.4	30.8	62.5			
/female							

Helal and El-Sebay (1980a) reported 2-4 days for the pre-oviposition period and the female continued to lay eggs for 1 to 5 days with an average of 3.7 ± 0.2 days, whereas the post-oviposition period ranged 2 - 7 days with an average of 4 ± 0.3 days.

The fertilized female laid 12-81eggs, with an average of 42.7 \pm 20.4 eggs. The percentage of eggs death ranged between 6.1 to 37.5 % with an average of 21.8 %.

Chararas et al. (1971) and Helal and El-Sebay (1980a) recorded an average of 180 and 10-41eggs per female of *P. semipunctata*, respectively.

b. Incubation period: The incubation period of *P. semipunctata* eggs listed 6-13 days with a mean of 9.3 ± 2.23 days under mean laboratory conditions of 31.2° C and 61.8 % R.H.

El-Sebay 1978 found that incubation period was influenced by temperature as the shortest period was 4.3 days at 35°C (with 97.6% hatchability), while the longest was 8.9 days at 20°C (with 80% hatchability). Powell 1982 mentioned that the incubation period of *P. semipunctata* eggs in the insectary was 9-14 days.

c. Adult longevity: The adult stand stilled for hardness for 4-9 days with an average period about 6.55 ± 1.53 days, under mean laboratory conditions of 31.6°C and 62.4 % R.H.

The female beetle lived 4 - 25 days with an average of 13.7 ± 5.73 days, while the male beetle lived 5 - 19 days with an average of 11.25 ± 4.36 days under mean laboratory conditions of 31.3° C and 63.3° R.H.

Helal and El-Sebay (1980a) mentioned that the longevity of mated female of P. semipunctata ranged 3-14 days (average, 8.9 ± 0.2 days), while that of unmated ones lived 3-12 days (average ,6.2 \pm 0.2days), whereas mated males lived 1-13 days (average 7.1days)and unmated ones lived 2-12 days (average, 7.7 days).

d. Pupal duration: The pre-pupa lasted 3-17days with an average duration of 9.5 \pm 1.72days, under mean laboratory conditions of 27.6°C and 60.2 % R.H.

Under mean laboratory conditions of 29.8°C and 59.9 % R.H., the pupa elapsed 12 –19 days with an average duration of 15.65 ± 2.10 days.

EI-Sebay (1978) found that the temperature negatively affected the pupal duration as the longest period was 51days at 20°Cand the shortest was 10.4 days at 35°C

- e. Number of pupal chambers and emerged beetles/female: The average number of pupal chambers/mother female recorded 22.8 \pm 10.1 chambers (ranged, 8 38 chambers), while the average number of emerged beetles was 19 \pm 8.3 beetles/female (ranged 7 32 beetles).
- B. Field observations on attack density, laid eggs, hatchability, larval density and adult availability: Tables 2 and 3 showed the following informations which were obtained from infested eucalyptus logs collected from the field during June 1999:
- a. Density of attack and eggs laid: Daily field observation revealed that the attack of beetles and oviopostion occurred nightly on the newly cut logs during June for about 30 days. Powell 1982 indicated that eggs were not found beyond day 42. This is a little longer than period of the 2-3 weeks recorded in Zambia (Loyttyniemi, 1975; Langstrom, 1976), but considerably shorter than the three months recorded during winter in Israel (Bytinski-Salz and Neumark, 1952).

Density of attack is represented by the number of egg batches laid by the female on fresh eucalyptus logs and accumulated in nature during June 1999 (average Temp.29.6°C and 59% R.H.). The number of egg batches varied from 4 to 11^- batches on different logs (about 45-110 cm.long). The total number of eggs laid in 48 batches reached 1169 eggs and the number of deposited eggs/batch ranged between 6 and 68 eggs (average, 24.48 ± 4.5 eggs/batch). The eggs density on exposed area of collected logs was 565.4 eggs/m².

The total number of hatching eggs recorded 885 eggs (range, 61-262 eggs/log) showing hatching percentage of 75.71% (range, 50 - 93.9 %.).

b. larval density and adult availability: Total number of hatching eggs in each eucalyptus log is an indicator to larval density of each on cm. long of infested wood. The larval crowd led to intensity competition (on food and space) and high percentage of larval death. The larvae reached full grown construct pupal chambers and the exit holes occurred after adult emergence.

Table 2. Hatchability, larval density, adult availability and reduction in broods of P. semipunctata on eucalyptus logs collected from the field during June 1999.

_					_		_				_				_		_																																			
Reduction	ri	broods (%)		71.2	1	77.03		84.25		52.13		88.24		39.34		85.88		(39.34-88.24)*																																		
adult emergence	(%)			85.71	17.00	89.47		83.33		83.33	80		72.55		0	90.00	77.5	. (21																																		
No. of exit	holes			36	3	34		20		45		80		37		37		217																																		
No. of pupal	chambers			42	6	38		24		54		10		51		61		280																																		
Hatchability Total no. Percentage of No. of pupal No. of exit	hatching			78.13 (62.5 –93.9)	86.55	86.55 (76.9 – 89.8)		(62.5 - 85.3)	59.49	(50 - 78.6)	63.55	(55.17 - 75)	71.76	(50 - 77.87)	78.9	(65.8 - 84.4)	75.71	(50 - 93.9) *																																		
Total no.	of	hatching	eggs	125	140	148		127		4	68		61		262		- 00	885																																		
	(%)			17.86 ±12.57 (4 -40)	24.67 ±13.73	(1053)	21.17 ±17.85	(5 - 58)	9.4 ± 3.26	(5 - 15)	17. ± 3.54	(14 - 23)	15.25 ± 7.46	(5 - 26)	23.8 ± 9.06	(8 - 38)	18.45 ± 4.92	(4 - 58) *																																		
Total No.	of eggs	laid		160	171	1/1	156		158		107		85		332		00,,	1169																																		
No. of	Eggs	/batch		22.86 ±14.37 (6 -48)	28.5 ± 14.90	(13 -59)	26 ± 20.33	(8 - 68)	15.8 ± 6.16	(9 - 29)	26.75 ± 4.82	(20 - 33)	21.25 ± 9.42	(10 - 36)	30.18 ± 11.22	(16 - 48)	24.48 ± 4.5	(6 - 68)																																		
No. of	8	/batches		7	ď	9		9		9		9		9										9		9		9		9		9		9		9		9		9		9		10		4		4		:	0,7	0
Logs measure.	Exposed	area (cm²)		4148.57	2828 57	10:030	00 1000	9294.63	2310	0103	200	1400.00	00 0000	64.90.03	4148 57	10:01:1	0002500	26.0/002																																		
Logs	Length	cm.		09	45	2	u	9	09	3	c u	20	7	5	110	2	440																																			
	·ou	60	1	-	0		ď	,	4		u	r2		ω		7		-																																		

T = Total * = average

Data showed that the total number of hatching eggs was 885 eggs on 20675.92 cm² (440 cm long)of eucalyptus logs with 0.0428 larvae of each cm² (428.03 larvae /m², range 244.79 -631.54 larvae/m²). Larvae reached full grown (pupal chamber) were 280 larvae (range, 10 – 61 chambers / log) meaning 68.36 % larval death (range,16.39 –85.29 %). The density of pupal chambers recorded 135.42/m² (68.22-233.77 pupal chambers/m²). The total number of emerged adults (exit holes) were 217 adults (range, 8-45 exit holes for log) showed 22.5 (range, 10.53-39.34)% pupal death. The total percentage of adult emergence recorded 77.5 (range, 60.66-89.4) %. The mean density of emerging adults was 104.95beetles /m² and indicated a reduction in the broods by 75.48 (range, 39.34-88.24) %.

Statistical analysis (Fisher 1950) clearly reveal that highly significant positive correlation (r = 0.97) was found between larval density/ m^2 and the number of dead larvae, also positive significant correlation (r=0.72) showed between egg density/ m^2 and number of eggs which fail to hatch. On the other hand, there was insignificant correlation (r = 0.48) between pupal chamber density and number of pupae that fail to complete metamorphosis.

C. Broods and emergence of beetles from stored infested eucalyptus logs during one year: Date in Table 4 showed that the emergence of beetles from infested eucalyptus logs which were stored for one year beginning June 1999 took place on 3 periods, the first emergence detected after18 weeks (short brood) during the 3rd week of October to 2nd week of November (mean Temp 22.3°C and 61.1% R.H.) at 21.06 % emergence, the second observed after 30 weeks (middle brood) during the period from the 3rd week of January to the 3rd week of February (meanTemp17.55°C and 63.5% R.H.) at 73.68 % emergence, while the third emergence was noticed after 48 weeks (long brood) during the 1st week of June (mean Temp 29.04°C and 55.6% R.H.) at 5.26 % emergence.

Helal and El-Sebay (1980b) reported that *P. semipunctata* has two adult broods. The frist started from the 1st week of April to the 4th week of March and continued up to the end of June. The second began the 3rd week of August and continued until the 2nd half of December.

Table 3. Density/m² and death percentage of different stages of *P. semipunctata*

	Adults					•			
(%)	pupae	14.29	10.53	16.67	16.67	20	27.45	39.34	22.5
Death (%)	larvae	66.4	74.32	81.1	42.55	85.29	16.39	76.72	68.36
	eggs	21.87	13.45	18.59	40.51	36.45	28.24	21.11	24.29
	adults	86.78	120.2	6.09	194.81	54.58	148.59	89.19	104.95
y /m ²	pupae	101.24	134.34	73.08	233.77	68.22	204.81	147.04	135.42
Density /m ²	Larvae	310.31	523.23	386.69	406.93	463.9	244.97	631.54	428.03
	eggs	385.68	604.55	474.99	683.98	729.96	341.35	800.28	565.39
Log	no.	1	2	8	4	2	9	7	General

Table 4. Broods and emergence of P. semipunctata beetles from stored infested eucalyptus loges during one year beginning June 1999.

						H
Brood	Brood Number of weeks	7	Percentage of	Lab. Cond. (mean)	i. (mean)	_
	before emergence	Period or emergence	emergence	Temp.°C	R.H. (%)	
First	18	3rd week of Oct.1999	21.06 %	22.3	61.1	
		to				
		2nd week of Nov.1999				
Second		3rd week of Jan. 2000				
	30	ţ.	73.68 %	17.55	63.5	
		3rd week of Feb. 2000				
Third	48	1st week of Jun.2000	5.26 %	29.04	55.6	

In Zambia Loyttyniemi (1983) mentioned that beetles of *P. semipunctata* were active and laid eggs all the year round. Flight and emergence occurred even during the cold season and chilling nights. The peak flight and attacking intensity were in the warm season (late July to September), the second peak was in November.

D. Determination of lost wood volume by eucalyptus stem borer, *P. semipunctata*: Data representing in Table 5 showed the volume of destroyed wood of infested logs by *P. semipunctata*. When total volume of wood pieces before infestation was 83958.87 cm³, the remanent volume of wood after infestation reached 10296.4 cm^3 , so the volume of lost wood recorded 73662.47 cm^3 representing 87.74 % size of intact logs, this devastated wood referred to larval feeding layer which recorded 20221.49 cm^3 (the range of feeding layer thick 0.3 to 1.14 cm, with an average of $0.99 \pm 0.28 \text{cm}$) and pupal layer that recorded 53440.98 cm^3 (the range of depth of pupal chamber 3.2 to 6.7 cm, with an average of 4.63 cm).

Lost wood by brood of *P. semipunctata* was made by 280 maturity larvae (number of pupal chambers), it means that the total volume of lost wood recorded 263.08 cm³ /maturity larva (/pupal chamber).

Pre-mentioned study on the biology indicated that the average number of maturity larvae or pupal chambers resulted from the breeding hatching larvae of one female was 22.8 maturity larvae (range 8-38 pupal chamber), this result give conclusion that each one female can be destroyed about 5998.22 cm³ (range 2104.64-9997.04 cm³) from attacked wood by her brood.

Table 5. Determination the volume of lost wood by eucalyptus stem borer, P. semipunctata F.

									_	_	_				_	_	_	_					
Lost	Lost wood volume //maturity larvae (or pupal chamber) cm³					417.16		309.62	50	551.4		130.4		322.42		169.45		200.58		263.08	(130.40 -	200.58)	
Percentage	of	lost	wood volume	(o/)			76.79		83.19		84.83		99.53		26.66		99.87		98.31		87.74	(76.79-99.97)	8
Pupal	chambers			Mean	depth		4.58	3.8 - 5.3	4.84	(3.7 - 5.5)	4.66	(4 -5.2)	4.58	(3.2 - 6.7)	4.03	(3.4 - 6.4)	5 .6	(4.4 - 6.5)	4.12	(3.8 - 5.6)	4.63	(3.2 - 6.7)	
	_			190	զաո	N	42		38		24		54		10		51		61		280		
Volume of lost wood (cm ³)		F.L. + P. L.			P.L		13110.6		8926.2		9714.1		4681.03		2799.25		6119.52		8090.28		53440.98		
	11	(or)			F.		4410		2839.5		3519.45		2360.31		424.98		2522.45		4144.8		20221.49		
		T.V R.V.			TVRV.		17520.6		11765.7		13233.55		7041.34		3224.23		8641.97		12235.08		10296.4 73662.47 20221.49 53440.98 280		
			Remanent	Volume	(cm ₃)		5296.8		2377.35		2366.65		33.26		0.8162		11.2		210.32		10296.4		
			Rem	Sectorial	Area	(cm^2)	88.28		52.83		43.03		0.5544		0.0154		0.1964		1.912				
of wood log			Total	Volume	(cm ₃)		22817.4		14143.05		15600.2		7074.6		3225.05		8653.17		12445.4		83958.87		
Measurements of wood logs			2	Sectorial	Area	(cm ²)	380.29		314.29		238.64		117.91		60.85		151.81		113.14				
			Exposed	(cm ²)		4148.57		2828.57		3284.29		2310		1465.83		2490.09		4148.57		20675.92			
			(cm)	eter	Diamete				20		19		12.25		8.8		13.9		12		,		
			cm)) yı6	uə¬		09		45		22		9		23		22		110		440		
Pieces No.						-		2		ო		4		വ		9		^		H			
Pieces No.								•	\perp	• •		_			\perp	_					_		

T. = total, T.V. = total volume of wood, R.V. = Remanent volume of wood, F.L = feeding layer, P.L = pupal layer

REFERENCES

- 1. Alfieri, A.1976. The Coleoptera of Egypt. Memoires Soc.Entom.D Egypt.5,p.221.
- Batt, A.M.1989. Biological, ecological and control studies on some borers in Egypt. Ph.D. Thesis, Fac.Agric., Menoufia Unvi.,228pp.
- 3. Bytinski-Salz, H.and S .Neumark. 1952. The eucalyptus borer *Phoracantha semipunctata* F. in Israel.Trans. ixth Int. congr. Ent.1, : 696-699.
- Chararas, C., J.E. Courtois, A .Le Fay and A.Thuillier 1971. Biologie, evolution et nutrition de *Phoracantha semipunctata* F.Coleoptera: Cermbycidae specifique des Eucalyptus. C.R.Seanc. Soc.Biol.165, : 1565-1568.
- El-Sebay, Y.1978. Studies on *Phoracantha semipunctata* F in Egypt. M.Sc. Thesis, Fac. Agric., Zagazig Univ., Egypt, 109pp.
- Fisher, R.A. 1950. Statistical methods for research workers. Oliver and Boyd Ltd., Edinburgh, London.
- Haggag, S.M.2000. The borers attacking some wood trees with reference to some biological aspects of *Niphona picticornis* Muls. (Coleoptera: Cerambycidae) at Menoufia Governorate. Fayoum J. Agric. Res. &Dev., 14(2): 128 –136.
- Helal, H. and Y. El-Sebay. 1980a. The eucalyptus borer *Phoracantha semipunctata* F., behaviour, nature of damage and its parasites and predators in Egypt (Cerambycidae, Coleoptera). Agric.Res.Rev.58(1):21-30.
- Helal, H. and Y. El-Sebay. 1980b. The abundance of eucalyptus borer *Phoracantha semipunctata* F. in Cairo area, Egypt (Cerambycidae, Coleoptera). Agric.Res.Rev.58 (1):123-130.
- Langstrom, B. 1976. Studies on methods to control attacks of *Phoracantha* species on Eucalyptus species. Zambia, Division of Forest Research, no. 40,8pp.
- Loyttyniemi, K.1975. Forest insect pests in commercial Pinus and Eucalyptus plantations in Zambia. Zambia, Division of Forest Research, Interim Report (July 1975), 24 pp.

- Loyttyniemi, K. 1983. Flight pattern and voltinism of *Phoracantha* beetles (Coleoptera, Cerambycidae) in semihumid tropical climate in Zambia. Ann. Entom. Fennici, 49:49-53.
- Moussa, M.D.1977.Studies on wood boring insects. Ph.D. Thesis, Fac.Agric., Alex. Univ., Egypt, 351pp.
- Nour , H. 1963. Classification of wood boring beetles as known to exist in Egypt,
 U.A.R. (Col.). Tech. Bull., Min .Agric., Dokki, Giza, Egypt, 34 pp.
- Okil, A.M. 1991. Studies on some tree borers in Fayoum Governorate. Ph.D. Thesis ,
 Fac.Agric. EL-Fayoum, Cairo Univ.Egypt,183pp.
- Powell, W. 1982. Age-specific life table data for the Eucalyptus boring beetles, *Phoracantha semipunctata* F. (Coleoptera: Cerambycidae) in Malawi. Bull.Ent.Res. 72, : 645-653.

بعض النشاطات البيولوجية والملاحظات الحقلية وتقدير الضرر لحفار ساق الكافور

Phoracantha semipunctata F.

عبد الغنى محمد بط ، سعيد محمد حجاج

معهد بحوث وقاية النباتات - مركز البحوث الزراعية - الدقى- الجيزة - مصر

أوضح النشاط البيولوجى لحفار ساق الكافور أن فترات ماقبل وضع البيض، ووضع البيض، ومابعد وضع البيض، وحضانة البيض سجلت 1-0 و1-1 و1-1 و1-1 وما ، على البيض، ومابعد وضع البيض، وحضانة البيض سجلت 1-0 و1-1 وما وصل وحلى ، على الترتيب . بلغت فترة ماقبل العذراء ، والعذراء 1-1 و1-1 يوماً على التوالى . وصل متوسط عدد غرف التعذير والخنافس الخارجة للأنثى الأم 1-1 غرفة تعذير، 1-1 حشرة كاملة على التوالى . بلغت فترة تصلب الحشرة الكاملة 1-1 يوماً . تعيش الأنثى 1-1 يوماً بينما يعيش الذكر 1-1 يوماً . وحما من 1-1 وتضع الأنثى 1-1 بمتوسط 1-1 بيضة موت البيض 1-1 بمتوسط 1-1 بيضة موت البيض 1-1 بيضاء كما تصل نسبة موت البيض 1-1 به بعد المتوسط 1-1 بيضاء كما تصل نسبة موت البيض 1-1 بيضاء كما تصل نسبة موت البيض 1-1 بيضاء كما تصل نسبة موت البيض 1-1 بعد المتوسط 1-1 بيضاء كما تصل نسبة موت البيض 1-1 بعد المتوسط 1-1

أوضحت الملاحظات الحقلية أن كثافة الهجوم ممثلة بعدد لطع البيض التى اختلفت من 3 الى 1 المعة على قطع كافور تراوح طولها ما بين 0 و 0 0 0 0 السم .ويتراوح عدد البيض لكل لطعة ما بين 1 و 0 0 0 0 0 0 0 0 0 كانت الكثافة اليرقية 1 0 0 0 0 0 0 أن كانت الكثافة اليرقية 1 0 0 0 0 0 أن كانت الكثافة اليرقية 1 0 0 أن كانت الكثافة الموقعة 1 أن كانت الكثافة النام 1 أن كانت الكثافة النام 1 أن كانت الكثافة النام 1 أن كانت الكثافة أن كان

كانت هناك ثلاث فترات لفروج الحشرة من قطع الكافور المفزنة لمدة عام ابتداء من يونيو 1999 حتى يونيو. ٢٠٠٠. ظهرت الفترة الأولى بعد حوالى ١٨ أسبوع، خلال الأسبوع الثالث من أكتوبر الى الأسبوع الثانى من نوفمبر (٢٠,١٦٪ خروج)، بينما حدثت الفترة الثانية بعد حوالى ٣٠ أسبوع، خلال الأسبوع الثالث من يناير الى الأسبوع الثالث من فبراير (٣٨,٣٨٪ خروج) في حين ظهرت الفترة الثالثة بعد ١٨ أسبوع خلال الأسبوع الأول من يونيو(٢١,٥٪ من خروج).

أوضح ضرر هذه الحشرة مقدرا بحجم الخشب التالف نتيجة التغذية اليرقية ووجود غرف التعذير أن متوسط الحجم التالف لكل يرقة تامة النمو أو غرفة تعذير كان 777, 777 سم وكذلك استنتج أن كل أنثى يمكن أن تحطم في المتوسط حوالي 999,777 سم من الخشب المهاجم بواسطة حضنتها.