Effect of Copper and Lead on Growth and Some Metabolic Activities of Cyanobacterium Spirulina platensis (Nordstedt)

Soad M. Mohy El-Din#

Department of Botany and Microbiology, Faculty of Science, Alexandria University, Alexandria, Egypt.

PODAY the heavy metal pollution is one of the most important environmental problem, which causes in soil and aquatic environment. Biosorption is an innovative technology that employs biological materials to accumulate heavy metals from waste water through metabolic process or physicochemical pathways of uptake. We studied the metabolic responses of Spirulina platensis to the toxicity of two heavy metals, Cu²⁺ and Pb²⁺. The data show that the lower doses of metals had stimulatory effect on biomass of Spirulina platensis, whereas the higher doses were found to be inhibitory depending on the type of the metal. The inhibitory effect of copper upon growth parameters of Spirulina platensis was more pronounced than lead. The total protein content, chlorophyll content, total carbohydrate and the total free amino acids of the tested alga gradually decreased in a manner dependent on the metal concentration in the medium. Biosorption of algal biomass was found to be heavy metal concentrations and pH dependent, where Spirulina platensis accumulated the amount of Pb2+ more than Cu²⁺. Concerning the effect of different concentrations of Cu²⁺ and Pb²⁺ on photosynthetic O₂ evolution, the results showed reduction in the amount of O₂ evolved in response to increasing metals concentrations. On the other hand, the effect of the heavy metals on respiration showed that higher metals concentrations were inhibitory to O₂ uptake by Spirulina platensis.

Keywords: Growth, Pigments, Heavy metals, Spirulina platensis.

Introduction

Aquatic ecosystems are particularly susceptible to accumulating contaminants. Due to their widespread industrial use, large quantities of metals compound are discharged into freshwater ecosystems and the levels of these have increased substantially world-wide over the last century (Penuelas & Filella, 2002). Although metal compounds are originating from the bedrock, these chemicals largely enter the eco-environment through industrial and agricultural activities, and then transferred to the food chain (Schutzendubel & Polle, 2002). Therefore, many scientific reports studied the toxicity of heavy metals, their effects on the environment, their ability to enter the food chain and their threat on the health of human being(Bing et al., 2013).

Metals discharged as solutes or particles are generally non-biodegradable in nature and can

produce bio-hazardous effects. They present in the environment with a wide range of oxidation states and coordination numbers, which are related to their toxicity (Murugan & Harish, 2007)

Copper is an essential micronutrient for numerous physiological processes and for keeping biochemical functions at low concentrations but a toxic metal at high concentrations (Gaetke & Chow, 2003). The progressive increase of copper in aquatic ecosystems arises from various anthropogenic sources including copper mine drainage, copper- based pesticides, industrial and domestic wastes and antifouling paints (Andrade et al., 2004). Lead uptake by living organism comes from contaminated water, air and soil. Accumulation of lead in mammals influences the nervous system by slowing down neural response. Passage of lead through blood vessels, bone marrow, liver and kidneys leads to

disturbance in kidneys and liver functions, damage in reproductive organs, anemia and metabolic disorders (Henick-Kling & Stoewasnd, 1993). Biological materials with sufficiently high metalbinding capacity and selectivity for heavy metals can be used in a full-scale biosorption for the recovery of heavy metals ions from industrial waste streams (Volesky & Holan, 1995). Algae, bacteria and fungi have proved to be potential metal biosorbents (Volesky, 1994). Different researchers have reported the bioaccumulation of large quantities of heavy metals by different algae under diversely stressed natural condition. Cyanobacteria, a numerous and diverse group of photosynthetic prokaryotes are key contributors to the global photosynthetic productivity. Their response to toxic metal exposure is of great concern due to the fact that bioaccumulation of heavy metals in the aquatic food chain is highly dangerous (Sanita-di-Toppi & Gabbrrielli, 1999). Aquatic plants and microorganisms are able to remove metals from water through processes of biosorption and metabolism dependent bioaccumulation (Wang et al., 1998).

This study aimed to assess the uptake of selected heavy metals, copper and lead by living and non-living *Spirulina platensis* and to investigate some metabolic and physiological activities in *Spirulina platensis* induced by these chemical pollutants.

Materials and Methods

Organism and culture condition

The blue green microalga *Spirulina platensis* (Nordstedt) Geitler (Oscillatoiales) was obtained from the Institute of Oceanography and Fisheries in Alexandria (ARE). Alga used for experimental studied was axenic.

Spirulina platensis was cultivated in a liquid medium, which was prepared as described in Zarrouk,which modified by Vonshak (1997). Cultures of algae were grown at $25 \pm 1^{\circ}$ C in a temperature-controlled room. Illumination was provided with an irradiance of 200 µmol m⁻² s⁻¹, under a 16h/8h light/dark regime. All cultures were shaken twice daily to prevent cells from clumping. Seven days old cultures were spun down at 4000 g for 10 min and the pellets were resuspended in fresh medium in order to use for the metal treatments.

Chemical and analytical methods

The chemicals were of analytical grade and used without further purification. De-ionized

water obtained from a Millipore Milli-Q system was used throughout the experiment. Copper sulphate (CuSO₄. 5H₂O) and Lead nitrate (Pb (NO₃)₂) were used as the sources of Cu²⁺ and Pb²⁺ respectively. The stock solutions (1000 mg/L) were prepared and kept in a refrigerator at 4°C until use.

Effect of pH on uptake of copper and lead Living biomass

A standard initial inoculum of the tested alga 5 mL precultured was inoculated to culture flasks (250 mL each) that contained 100 mL of sterile nutrient medium. The culture flasks were supplied with a concentration of Copper and Lead (1 mg/L) and adjusted pH values (8.5, 9, 9.5, 10, 10.5, 11 and 11.5). The cultures were incubated for 8 days at temperature 30°C, then the biomasses were harvested, and assayed metal uptake.

Nonliving biomass

Samples (0.25 g) of untreated dried biomass of *Spirulina platensis* were added to (250 ml conical flasks containing 100 ml of 1 mg/L solutions media for either copper or lead in each flask, which adjusted pH values (2,5,7,9 and11). The biomasses were incubated at 30°C for 24 h, and then they were harvested to assay metal uptake.

Effect of different heavy metal concentrations Living biomass

A standard initial inoculum of the tested alga 5 mL precultured was inoculated to culture flasks (250 mL each) that contained 100 mL of sterile nutrient medium. The culture flasks were supplied with various concentrations of Copper and Lead (0, 0.5, 1 and 3 mg/L). Then the pH of each culture was adjusted to the optimum pH equal to 9.8 (determined from the previous experiment). The percentage of metal uptake was determined.

Nonliving biomass

Different concentrations of heavy metals (0.5, 1, 3, 5 and 10 mg/L) were tested at the optimum pH for each metal. The powdered alga (0.25g) were added to the metal solution. The percentage of metal uptake was determined.

A standard initial inoculum of the tested alga 10 mL precultured was inoculated to culture flasks (500 mL each) that contained 200 mL of sterile nutrient medium. The culture flasks were supplied with various concentrations of Copper and Lead (0, 0.5, 1 and 3 mg/L). Then the pH

of each culture was adjusted to the optimum pH equal to 9.8. At the end of the incubation period (8 days) cultures were filtered and washed several times by distilled water, and then were assayed for chlorophyll, protein, carbohydrate and amino acids determinations. Three replicates for each sample and controls were used.

Determination of metal uptake

For the measuring metal contents, the cultures were centrifuged to harvest the algal mass (50 mL). The pellet was digested 5 mL mixture containing HNO₃ (70%), H₂O₂ (30%) and deionized water in 1:1:3 ratio (Bates et al.,1982). After digestion the samples were analyzed for metal content with a Perkin-Elmer atomic absorption spectrophotometer.

Determination of dry weight

A definite volume (100 mL) of algal suspension was filtered through weighted glass fiber. The cells, after being precipitated on the filter study, were washed twice with distilled water and dried overnight in an oven at 105°C.

Chlorophyll estimation

Total chlorophyll contents were estimated in acetone extract according to Jeffrey & Humphery(1975).

Biochemical analysis

Total protein was estimated by using the methods of Lowery et al. (1951). Total amino acid content was determined according to Moore & Stein (1948). Total carbohydrate was estimated by Roe (1955) method.

Measurements of photosynthetic activity $(O_2$ evolution) and respiration (O, uptake)

The photosynthetic activity was measured polarographically as oxygen evolution using a Clark-type electrode (YSI, model53). The actinic white light was obtained from a 150 W tungsten lamp.

Measurements were carried out using of algal suspension at room temperature. Respiration was measured in dark as O₂ uptake in the sample(El-Naggar et al., 1999).

Statistical analysis

All experiments were carried out in triplicate and the mean values with standard deviation are presented (mean \pm standard deviation(SD). The

statistical analyses were carried out using SAS (v 612, SAS, Cary, NC). Data obtained were analyzed statistically to determine the degree of significance using one way analysis of variance (ANOVA, $P \le 0.05$). The inhibitory concentration of metal able to reduce the growth rate by 50% was calculated during the exponential growth at 72 h (IC50), by using linear interpolation method for sub-lethal toxicity using Probit analysis (Finney, 1971).

Results

Effect of copper and lead on the growth Toxicity

The effect of increasing copper and lead concentrations on the cell density of Spirulina platensis is shown in Fig. 1. The exposure of Spirulina platensis for 72 h to different concentrations of Cu2+ and Pb2+ (0, 0.5, 1 and 3 mg/L) showed that an exponential negative relationship between algal dry weight and the amount of metal supplied to the medium. The decrease in the cell density with increasing of metal concentration was most pronounced with Cu²⁺ followed by Pb²⁺. Moreover the (IC50) values calculated are 0.54 and 0.62 for Cu² and Pb²⁺, respectively. Culture treated with Cu²⁺ or Pb²⁺at different concentrations (1 and 3 mg/L) led to insignificant in biomass productivity of Spirulina platensis. On the other hand, at concentration 0.5 of Cu²⁺or Pb²⁺ reveal that there was no significant effect on cell density.

Growth curve

The effect of copper and lead on the growth of Spirulina platensis are shownin Fig. 2. There was no significant effect under the 0.5 mg/L treatment of Cu2+ and Pb2+ in the medium. The growth of Spirulina platensis gradually increased in the culture supplemented by 0.5mg/L of Cu²⁺ and Pb²⁺ during exposure periods. Whereas other concentrations of the two metals (1 and 3 mg/L) cause a clear reduction in the growth of Spirulina platensis. The dry weight of Spirulina platensis was lower than the control in all cases when exposure concentration increased to 3 mg/L indicating that specific concentration had an inhibiting impact on algal growth. The inhibition effect become weaker with increase of exposure time. Cu2+ caused more inhibition effect on the growth of Spirulina platensis than Pb2+. The growth curves of Spirulina platensis in Zarrouk medium, 0.5 and 1 mg/L of different metals showing the lag phase lasted about 48 h, while the logarithmic growth started approximately after 48 h of inoculation and Continued to 12th day. The stationary phase started from 12th day and ended at the 20th day.

While at concentration 3mg/L of different metals, noticed the lag phase was extended to 4th day, the exponential period was extended to 11th day.




Fig. 1. Effect of various concentrations of copper and lead on the growth of *Spirulina platensis* after 72 h of exposure on Zarrouk medium (Data are means ± SD). The effects of the treatments were tested by one-way analysis of variance (ANOVA). Means were compared between the treatments using the LSD (least significant difference) test at the 0.05 probability level.





Fig. 2. Effect of various concentrations of copper and lead on the growth of *Spirulina platensis* after incubation period. (Data are means ±SD)(n=3). The effects of the treatments were tested by one-way analysis of variance(ANOVA). Means were compared between the treatments using the LSD (least significant difference) test at the 0.05 probability level.

Effect of pH on uptake of Cu^{2+} and Pb^{2+} by living and non-living biomass

Data presented in Fig. 3 A showed that the increase in the uptake of different metals was associated with the increasing of pH value of the medium. The uptake of Pb²⁺ metal by *Spirulina platensis* living biomass was higher than Cu^{2+} . The maximum uptake of lead (26.6 μ g/g) at pH 11 and copper (20.4 μ g/g) at pH 10.5. The minimum uptake of both metals were recorded at pH 8.5 and

11.5, moreover, the growth of *Spirulina platensis* was inhibited in pH lower than 8.5 and higher than 11.5. The results showed an obvious effect of pH on uptake of Cu^{2+} and Pb^{2+} (Fig. 3 B) by nonliving biomass of *Spirulina platensis*. The two heavy metals had highest uptake at pH 7, which was $(210 \, \mu g/g)$ for Cu^{2+} , and $(110 \, \mu g/g)$ for Pb^{2+} . The lowest uptake of Cu^{2+} and Pb^{2+} observed at pH 2, at where the uptake was $50 \, \mu g/g$ for Cu^{2+} and $25 \, \mu g/g$ for Pb^{2+}






Fig. 3(A and B). Effect of pH on uptake of copper and lead by living and non-living biomass of *Spirulina platensis*. (Data are means ±SD) (n=3).

Effect of the ion concentration on uptake of Cu^{2+} and Pb^{2+} by living biomass and non-living biomass

The data of Fig. 4 (A and B) performed that the metals accumulation of copper and lead by living and non-living Spirulina platensis were parallel to increasing the concentrations in the culture medium. Also, it can be seen that the tested alga Spirulina platensis accumulated an appreciable amount of lead more than other that observed with copper. It is known that the uptake of an element from surrounding medium is seldom exactly proportional to the amount present in the water. The highest uptake was for Pb²⁺. The effect of different concentrations of metals on biosorption process noticed that at low of both metal concentration, most of the heavy metals were almost completely removed by living and non-living Spirulina platensis.

Effect of Cu^{2+} and Pb^{2+} on the total chlorophyll content

As can be seen in Fig.5 (A), pigment content of *Spirulina platensis* decreased with increasing metal concentration. In contrast, inhibitions caused by Cu²⁺ were considerably higher than of Pb²⁺. *Spirulina platensis* exposed to 3mg/l Pb²⁺, resulted in 48.74% inhibition of chlorophyll.


While the inhibition caused by the same Cu²⁺ concentration was 65.9%.

Effect of Cu^{2+} and Pb^{2+} on the protein content

The total protein content of *Spirulina platensis* showed reductions upon exposure to different concentrations Cu²⁺ and Pb²⁺ (Fig. 5B). The total protein content of the untreated sample (493.63 mg/L). At concentration 0.5mg/L of copper and lead the total protein content reduced to (459.63 and 475.75 mg/L), respectively. However, at 3 mg/L of copper and lead, the total protein decreased to (182.47 and 271.26 mg/L), respectively. We noticed that the lowest effect on protein content was for Pb²⁺ whereas the highest was Cu²⁺.

Effect of Cu^{2+} and Pb^{2+} on total free amino acids

Figure (6A) clearly shows that the total free amino acids of *Spirulina platensis* gradually increased with increasing metals concentration. The most pronounced stimulation was detected at the culture supplemented with 3 mg/L copper in comparison to lead. On other hand lead also stimulated the biosynthesis of the total free amino acids, but the stimulatory effect is less than that obtained with copper.







Fig. 4 (A and B). Effect of heavy metals concentration on the uptake of copper and lead by living and non-living biomass of *Spirulina platensis*. (Data are means ±SD) (n=3).







Fig. 5 (A and B). Effect of the concentration of copper and lead on Total chlorophyll content and protein content of *Spirulina platensis*. (Data are mean \pm SD) (n=3).

Effect of Cu^{2+} and Pb^{2+} on the total carbohydrate contents

The total carbohydrate contents of *Spirulina* platensis cultures grown 8 days under various concentrations of Cu²⁺ and Pb²⁺were determined. Carbohydrate content of the tested alga also declined in manner dependent on the metal

concentration exist in the medium. The results obtained in Fig. 6(B) shows that the two tested metals initiated the total carbohydrates accumulation at the culture supplemented by 1 mg/L. It is worth to mention that high concentrations of the tested metals did not reduce the carbohydrates.






Fig. 6. Effect of the concentration of copper and lead on the total free amino acids (A) and carbohydrate contents (B) of *Spirulina platensis*. (Data are means ± SD)(n=3).

Effect of different concentrations of Cu^{2+} and Pb^{2+} on the photosynthetic activity O_2 evolution and respiration of Spirulina platensis

Data presented in Table 1 show that low concentrations of Cu²⁺ and Pb²⁺(0.5 mg/L) generally stimulated O2 evolution and dark respiration throughout the experimental period (10 days). The maximum O₂ evolution (12.5%) and dark respiration (26.3%) were recorded on the 12th and 8th days, respectively for the cultures treated with 0.5 mg/L of Cu2+ in comparison with control. At the same concentration of both metal, the results reveal that there was significant effect on the O2 evolution and O₂ uptake only with Pb²⁺. The results cleared that the rate of O2 evolution and O2 uptake increased under the effect of the two metals in concentration (0.5 mg/L). However, the photosynthetic activity of Spirulina platensis showed progressive reductions in response to treatment with higher Cu²⁺ and Pb²⁺ concentrations (1 and 3 mg/L) during the cultivation period.

Data recorded in Table 1 also cleared that in case of Pb^{2+} , the rate of O_2 uptake of the culture increased gradually by increasing the concentration from 0.5 up to 1 mg/L, while at the concentration 3 mg/L, O_2 uptake decreased gradually with increasing the concentration of lead. On the contrary, Cu^{2+} caused gradual decrease in O_2 uptake at all concentrations used at periods of culturing, where the maximum decreased was recorded at 12^{th} day at concentration 3 mg/L. However, cultures treated with (1 and 3 mg/L) of Cu^{2+} and Pb^{2+} led to insignificant O_2 evolution and O_2 uptake except at 1 mg/L of Pb^{2+} , the O_2 uptake was significant in second and fourth day.

Discussion

In recent years, heavy metal pollution has become one of the most serious environmental pollution. Presence of different heavy metals even in traces is toxic and detrimental to both flora and fauna. The use of biological materials in general and microalgae including cyanobacteria in particular, has received considerable attention during recent decades for removal of heavy metals as the environment friendly alternative technology (Romera et al., 2006). Growth inhibition in cyanobacteria is well known for metal toxicity and found to be related to the amount of meta bound to the algal cell surface in some cases, to the amount of intercellular metal and to the chemical nature of the metal (Priyadarshani & Rath, 2012).

According to Toress et al. (1997) growth is a best parameter to determine the toxic action of the metals in microalgae and reflects the metabolic process in the cell. During the 72 h of experiment duration, the algal growth was inhibited due to increasing metal concentration. However Spirulina platensis were acutely sensitive to metals in a manner Cu²⁺>Pb²⁺. The present result was in agreement with those obtained by Yan & Pan (2002), algal density was affected by these metals (Cd, Cu and Zn) but more tolerance was observed with Cu²⁺. The results in Fig. 1 indicated that the Spirulina platensis was most sensitive to Cu²⁺ at 0.54mg/L followed by Pb2+at 0.62 mg/L. Although Cu²⁺ are essential metals for living organisms, this metal can be toxic and cause algal cell death at high concentrations.

TABLE 1. Effect of different concentrations of Pb2+ and Cu2+ on the photosynthetic activity (O, evolution
calculated as µmol O,mg chlorophyll-1h-1) and dark respiration (O, uptake calculated
as μmol O ₂ h ⁻¹) of Spirulina platensis. Each value is the mean of three reading± standard
deviation(SD).

Days	Control		Element	0.5(mg/L)		1(mg/L)		3(mg/L)	
	O ₂ evol	O ₂ upt.		O ₂ evol	O ₂ upt.	O ₂ evol	O ₂ upt.	O ₂ evol	O ₂ upt.
2	432±0.1	1.32±0.2	Cu ²⁺	461±0.1*	1.24±0.4 ⁿ	302±0.1 ⁿ	1.22±0.1 ⁿ	264±0.1 ⁿ	0.95±0.1 ⁿ
			Pb ²⁺	471±0.4*	1.63±0.1*	406±0.1 ⁿ	1.47±0.4*	371±0.2n	1.45±0.1*
	322±0.1	1.61±0.1	Cu ²⁺	332±0.1*	1.22±0.3 ⁿ	230±0.1 ⁿ	1.21±0.1 ⁿ	201±0.7 ⁿ	1.01±0.1 ⁿ
4			Pb ²⁺	342±0.1*	1.83±0.3*	301±0.1 ⁿ	1.74±0.1*	251±0.5 ⁿ	1.42±0.1 ⁿ
			Cu ²⁺	224±0.2*	1.22±0.1 ⁿ	164±0.1 ⁿ	1.20±0.3 ⁿ	150±0.1 ⁿ	0.95±0.1 ⁿ
8	220±0.1	1.52±0.1	Pb ²⁺	232±0.1*	1.68±0.1*	203±0.1 ⁿ	1.46±0.1 ⁿ	193±0.3 ⁿ	1.04±0.3 ⁿ
			Cu ²⁺	141±0.5 ⁿ	1.21±0.1 ⁿ	131±0.2 ⁿ	1.02±0.4 ⁿ	126±0.1 ⁿ	0.64±0.2 ⁿ
12	162±0.2	1.40±0.3	Pb ²⁺	171±0.1*	1.43±0.2*	160±0.1 ⁿ	1.35±0.1 ⁿ	145±0.1 ⁿ	0.99±0.2 ⁿ

*Significant at P≤0.05 using one way analysis of variance(ANOVA), nonsignificant at P≤0.05 using one way analysis of variance (ANOVA).

In general, changes in the biomass, total chlorophyll content or protein content are studied to assess the algal responses to metal exposure. Studing the effects of Cu²⁺ or Pb²⁺ on the filamentous cyanobacterium *Spirulina platensis* revealed that the toxicity for all the observed parameters including the growth was increased in a dose dependent manner. The results of this study showed a relative reduction in algal growth at higher concentrations of copper and lead. Such growth retardation is similar to that observed to *Spirulina platensis* (Choudhary et al., 2007) and *Chlorella pyrenoidosa* (Mohy El-din,2016).

Most reports demonstrated that the inhibitory effect of the stress become greater with an increase in the metal concentrations suggesting that the reduction of growth of algae was due to a decrease in photosynthesis occurred by the inhibition of chlorophyll synthesis. The mechanism proposed for the inhibition is the replacement of magnesium in the chlorophyll molecules, consequently cells accumulate protoporphyrin and synthesis of chlorophyll is blocked, this may be attributed to the inhibition of reduction step in the biosynthetic pathways of this pigment (Osman et al., 2004). The present results are in agreement with those obtained by Osman et al. (2004) who reported that high concentrations of Co2+ and Ni2+ decreased the chlorophyll a content in two algal species Scenedesmus obliquus and Nitzschia perminuta.

A decrease of protein content was detected in *Spirulina platensis* cells grown in media treated

with Cu²⁺ and Pb²⁺ at concentration 3 mg/Lby 36.96 and 54.95%, respectively comparing of control. Probably, chlorophylls and proteins represented an emergency source of nitrogen, the reduction of protein content might also be attributed to the shortage of carbon skeleton resulting from low photosynthetic rate. Such results are in accordance with those of Carfagna et al. (2013). Generally, the accumulation of amino acids in response to metal concentrations may lead to the assumption that suppressed protein biosynthesis encouraged free amino acids accumulation, or may be due to some counteracting chelating mechanism against heavy metals toxicity (Fathi et al., 2005).

The pH obviously affected the uptake of Cu²⁺ and Pb2+ by Spirulina platensis living and nonliving biomass. The uptake by living biomass increased gradually by increasing pH, until reached maximum uptake at specific pH points, after which the uptake declined. Maximum uptake by the living biomass occurred at pH points 10.5 for Cu²⁺ and 11 for Pb²⁺, while maximum uptake by non-living biomass occurred for two tested metals at pH 7. Chojnacka et al. (2005) reported that increasing of pH -generally- activate more functional groups to involve in uptake process. The declining of uptake was caused probably by saturation of the binding sites, but increasing of pH might also change the ionic state of the metal, from ionic active form to stable (inactive) form, or to another active form but could not react with binding sites (Gupta et al., 2001). The present results revealed that the uptake of metals by living or non-living biomass dependent on the pH of medium, where, the uptake of metals by living biomass increased two times by increasing pH from 8.5 to 11, then it was decreased by increasing pH. However, the uptake by non-living biomass increased 4 times by increasing pH from 2 to 7, then the uptake was decreased by increasing pH. These results are in agreement with those obtained by Rangsayatorn et al. (2004) who reported the effect of pH on uptake of metals, the accumulation of cadmium by non-living suspensions of Spirulina platensis increased nearly 3-4 times by increasing pH from 4 to 7, then the uptake was the same from pH 7 to 9. High differences in the uptake between the living and non-living biomass because of the following reasons. First, part of the uptake process was controlled by the living cells in the uptake by living biomass whereas the uptake by non-living biomass was not. These results are in agreement with those obtained by Gadd (2000). Second, the binding sites in living biomass located mainly at the outer structures of the cell such as the sheath and cell wall, while almost all cellular components contributed in uptake by non-living biomass (Beveridge & Koval, 1981). Finally, the pH values for uptake by living biomass represented moderate-high alkalinity, while pH values for uptake by non-living biomass represented acidic-neutral-alkaline, and that caused significant differences of the bindingparticipated functional groups between uptake by living and non-living biomass (Gupta et al., 2000). In this study, lead uptake was the highest $(26.6 \mu g/g)$ at pH 11 and copper $(20.4 \mu g/g)$ at pH 10.5. The same influence of metal on uptake was observed in the uptake by non-living biomass. The uptake at pH 2 was the lowest for two metals, at which copper uptake was (50µg/g) and lead (25µg/g) the same order of pH 2. Copper uptake by non-living biomassat pH 9 was (152 μg/g) and lead (80 µg/g) which was less than the uptake at pH 7. Thus, increasing of pH over 7 had a little effect on copper and lead uptake by non-living biomass. In contrast, the uptake of Cu²⁺ and Pb²⁺ by non-living biomass was significantly affected by rising pH. The same pattern of uptake by nonliving biomass in relation to pH was reported in a study conducted by Pavasant et al. (2005), on the green marine macro-alga Caulerpa leillifera.

In addition, the physiology itself may have an overall effect on the way in which the metal is accumulated in the cell. It was demonstrated that there are two phases in metal adsorption by microalgae: the first phase, not dependent on cellular metabolism, where metal binds to the cellular surface and the second, slower phase, dependent on metabolism, where metal is accumulated in the interior of the cell (Moreno-Garrigo et al., 2000). Figure 4 shows the total amount of two metal element biosorbed by Spirulina. platensis as function of different metals concentrations in the medium after eight days of exposure. The higher pb2+ accumulated in the exposed Spirulina. platensis, could be due to induction of heavy metal peptides sequestration (phytochelatin) and detoxifying metals in vegetal cells. The ability of microalgae to accumulate metals from aqueous solution is well-documented (Mohy El-din, 2016).

Algae take metals up both passively and actively. Some metals, such Pb²⁺ and Sr²⁺, may be passively adsorbed by charged polysaccharides in cell wall and intercellular matrix (Osman et al., 2004). Other metals (Zn²⁺ and Co²⁺) are taken up actively against large intracellular concentration gradients. Hamdy (2000) reported that metal uptake dependent on the type of biosorbant, with different accumulation affinities towards the tested elements and the amount of metal uptake increased steeply by increasing the weight of the biomass. Fathi et al. (2005) reported that the uptake of an element from the surrounding medium is seldom exactly proportional to the amount present in the water.

The observed changing with all the previously discussed alterations chlorophyll, protein contents, total free amino acids and carbohydrate contents and any abnormalities were resulted-probably- mainly from the effect of Cu²⁺ and Pb²⁺on *Spirulina platensis*.

In the present study the effect of different concentrations of Cu^{2+} and Pb^{2+} on photosynthetic O_2 evolution showed a tendency towards reducing the amount of O_2 evolved by *Spirulina platensis* in response to metals. However, an increase in O_2 evolution by *Spirulina platensis* was observed at relatively low metals concentrations throughout the incubation period. The magnitude of the inhibitory action was found to increase with higher metals concentrations.

At concentrations 1 and 3 mg/L of two metals the degree of inhibition of O_2 evolution for *Spirulina platensis* was differ where the rate

of O, evolution more inhibited under the effect of Cu²⁺metal than the Pb²⁺ metal, indicating that photosynthetic electron transport of Spirulina platensis is more sensitive to Cu2+metal toxicity than Pb2+ metal toxicity. These results are in agreement with El- Naggar et al.(1999) who found that low Co2+ concentration increased both O₂ evolution and dark respiration in two cyanobacterial species, Calothrix fusca and Nostoc muscorum, whereas higher concentrations were inhibitory. Further confirmation of our results can be found in the data of Carfagna et al.(2013) who reported that Chlorella, Cd²⁺ had a much higher effect than Pb2+on physiological process as O₂ evolution (photosynthesis) and O₂ uptake (respiration).

With regard to the effects of various levels of Cu²⁺ and Pb²⁺ on respiration, the results obtained show that higher Cu²⁺ and Pb²⁺ concentrations have an inhibitory effect on O₂ uptake by *Spirulina platensis*. Low Pb²⁺ concentrations stimulated O₂ uptake of *Spirulina platensis* throughout the experimental period. With respect of different concentrations of Cu²⁺ caused inhibition of O₂ uptake throughout the incubation period. From the above mentioned results, it is noteworthy that the effect of heavy metals on respiration is concentration, types of metal and the length of culturing period dependent.

Conclusion

This study focused on the biosorption of Cu²⁺ and Pb²⁺ by living and nonliving biomass of alga *Spirulina platensis*. The pH and concentration of heavy metals influenced the biosorption process. We can be also concluded that *Spirulina platensis* biomass could be used to remove Cu²⁺ and Pb²⁺ from waste waters effectively. Their high biosorption capacities towards heavy metals, low cost and abundant availability in nature are advantages in exploring this algal specie for practical application.

Our data suggest that the toxic effects of the two heavy metals resulted is exposuretime-dependent. Furthermore, the exposure of the algae to Cu²⁺ or Pb²⁺ compromises the growth of *Spirulina platensis*. These two heavy metals provoke a strong inhibition in the content of chlorophyll and protein levels.

Acknowledgements: My sincere gratitude to Dr. Nadia Noaman, Professor at Faculty of Science in

Alexandria University for providing the nonliving *Spirulina platensis* and Dr. Haba Saad, Doctor at Oceanography and Fisheries in Alexandria (ARE) for providing the living *Spirulina platensis*.

References

- Andrade, L.R., Farina, M. and Amado, G. (2004) Effect of copper on *Enteromorpha flexuosa in vitro*. *Ecotoxicol*. *Environ*. *Safe*. **58**, 117-125.
- Bates, S.S., Tessier, A.P.G. and Buffle, J. (1982) Zinc adsorption and transport by *Chlamydomonas variabilis and Scenedesmas subspicatus* b grown in semi-continuous *cultures*. *J. Physiol.* **18**, 521-529.
- Beveridge, T. and Koval, S. (1981) Binding of metals to cell envelopes of *Escherichia coli* K-12. *Appl. Environ. Microbiol.* **42**, 325-335.
- Bing, H., Wu, Y., Liu, E. and Yang, X. (2013) Assessment of heavy metal enrichment and its human impact in lacustrine sediments from four lakes in the mid-low reaches of the Yangtze River, China. *J. Environ. Sci.* 25, 13001-1309.
- Carfagna, S., Vona, V., Sorbo, S., Basile, A., Salbitani, G. and Lanza, N. (2013) Physiological and morphological responses of lead or cadmium exposed *Chlorella sorokiniana*. Springer Plus. **2**, 147-153.
- Choudhary, M., Jetley, U.K., Khan, M.A., Zutshi, S. and Fatma, T. (2007) Effect of heavy metal stress on proline, malondialdehyde, and superoxide dismutase activity in the cyanobacterium *Spirulina platensis-S* 5. *Ecotoxicol. Environ. Saf.* 66, 204-209.
- Chojnacka, K., Chojnacki, A. and Gorecka, H. (2005) Biosorption of Cr³⁺, Cd²⁺ and Cu²⁺ ions by blue-green algae *Spirulina* sp.: Kinetics, equilibrium and the mechanism of the process. *Chemosphere*, **59**, 75-84.
- El-Naggar, A.H., Osman, M.E.H., Dyab, M.A. and El-Mohsenawy, E.A. (1999) Cobalt and Lead toxicities on *Calothrix fusca* and *Nostoc muscorum*. *J. Union Arab Biol. Cairo*. 7, 421-441.
- Fathi, A.A., Ibraheim, H.A. and Zaki, F.T. (2005) Response of tolerant and wild type strains of *Chlorella vulgaris* to Copper with

- special references to Copper uptake system. *Protisology*, **4**, 73-78.
- Finney, D.J. (1971) "*Probit Analysis*". 3rd ed. Combrige Press, New York, Ny.668pp.
- Gadd, G. (2000) Bioremedial potential of microbial mechanisms of metal mobilization and immobilization. *Curr. Opini. Biotechnol.* 11, 271-279.
- Gaetke, M. and Chow, C.K. (2003) Copper toxicity, oxidative stress and antioxidant nutrients. Toxicology, 189,147-163.
- Gupta, R., Ahuja, P., Khan, S., Saxena, R. and Mohapatra, H. (2000) Microbial biosorbents: meeting challenges of heavy metal pollution in aqueous solutions. *Curr. Sci.* **78**, 967-973.
- Gupta, V., Shrivastava, A. and Jain, N. (2001) Biosorption of chromium (VI) from aqueous solutions by green algae *Spirogyra* species. *Wat. Res.* **35**, 4079-4085.
- Hamdy, A.A. (2000) Biosorption of heavy metals by marine algae. *Curr. Microbiol.* **41**, 232-238.
- Henick-Kling, T. and Stoewasnd, G. (1993) Lead in wine. *Amer. J. Enolo. Viticul.* **44**, 459-463.
- Jeffrey, S.W. and Humphery, G. F. (1975) New spectrophotometric equations for determining chlorophyll a, b and c in higher plants, algae and natural populations. *Biochem. Physiol. Pflanzen.* **167**, 185-199.
- Lowery, O.H., Rosenbroug, N.J. Farr, A.F. and Randall, R.J. (1951) Protein measurement with the folin phenol reagent. *J. Biol. Chem.* **193**, 265-275.
- Mohy El-din, M.S. (2016) Effects of heavy metals (Copper, Cobaltand Lead) on the growth and photosynthetic pigments ofthe green alga *Chlorella pyrenoidosa*. *CATRINA* **15** (1),1-10.
- Moore, S. and Stein, W. (1948) Photometric ninhydrine method for use in the chromatography of amino acids. *J. Biol. Chem.* **17**, 367-388.
- Moreno-Garrigo, I.., Lubian, L.M. and Soares, A.A. (2000) Influence of cellular density on

- determination of EC₅₀ in microalgal growth inhibition tests. *Chemospher*, **47**, 112-116.
- Murugan, K. and Harish, S. (2007) Antioxidant modulation in response to heavy metal induced oxidative stress in *Cladophera glomerata*. *Indian Journal of Eexperi. Bio.* **45**, 980-983.
- Osman, M.E.H., El-Sheekh, M.M., El-Naggar, A.H. and El-Mazaly, E. (2004) Differential effects of CO²⁺ and Ni²⁺ on protein metabolism in *Scenedesmus obliquus* and *Nitzschia perminuta*. *Enviro*. *Toxicol*. *Pharmacol*. **16**, 168-178.
- Pavasant, P., Apiratikul, R., Sungkhum, V., Suthiparinyanont, P., Wattanachira, S. and Marhaba, T. (2005) Biosorption of Cu²⁺, Cd²⁺, Pb²⁺ and Zn²⁺ using dried marine green macroalga *Caulerpa lentillifera*. *Biores*. *Technol*. Article in press.
- Penuelas, J. and Filella, I., (2002) Metal pollution in Spanish terrestrial ecosystems during the twentieth century. *Chemosphere*, **46**, 501-505.
- Priyadarshani, I., Rath, B. (2012) Effect of heavy metals on cyanobacteria of Odisha Coast. *J. Micro. Biotechno. Res.* **2**, 665-674.
- Rangsayatorn, N., Pokethitiyook, P., Upatham, E. and Lanza, G. (2004) Cadmium biosorption by cells of *S. platensis* TISTR 8217 immobilized in alginate and silica gel. *Envi. Internat.* **30**, 57-63.
- Romera, E., Gonzalez, F., Ballester, A. and Blazquez, M.L. (2006) Bisorption of as statistical re *Crit. Rev. Biotechnol.* **20**, 223-235.
- Roe, J.H. (1955) The determination of sugar in blood and spinal fluid with anthrone reagent. *J. Biol. Chem* .**212**, 335-343.
- Sanita-di- Toppi, L.S. and Gabbrielli, R. (1999) Response to cadmium in higher plants. *Environ. Exp. Bot.* **41**, 105-130.
- Schutzendubel, A. and Polle (2002) Plant responses to abiotic stresses: heavy metal-induced oxidative stress and protection by mycorrhization. *J. Exp. Bot.* **53**, 1351-1365.
- Toress, E., Cid, A., Fidalgo, P., Herrero, C. and Abalde, J. (1997) Long chain class III

metallothioneins as a mechanism of cadmium tolerance in marine diatom *Phaeodactylum tricornutum* Bohlin. *Aquatic Toxicol.* **39**, 231.

Volesky, B. (1994) Advances in biosorption of metals: selection of biomass types. *FEMS Microbiol. Rev.* 14, 291-302.

Volesky, B. and Holan, Z.R. (1995) Biosorption of heavy metals. *Biotechnol. Progr.* 11, 235-250. Vonshak, A. (1997) Preface. In: "Spirulina platensis (Arthrospira): Physiology, Cellbiology and Biotechnology". Vonshak A. [Ed.], pp.: ix-x. 1st ed. Taylor and Francis Ltd. London.

Yan, C.K. and Pan, G. (2002) Toxicity and bioaccumulation of copper in three microalgal species. *Chemosphere*, **49**, 471.

Wang, T.C., Weissman, J.C. Ramesh, G. and Benemann, J.R. (1998) Heavy metal binding and removal by *Phormidium. Bull. Environ. Contam. Toxicol.* **60**, 739-744.

(Received 28/3/2017; accepted 25/5/2017)

تاثير النحاس والرصاص على النمو وبعض الانشطة الايضية لطحلب الاستندهلتنا

سعاد محمد محي الدين قسم النبات والميكر وبيولوجي-كلية العلوم-جامعة — الإسكندرية - مصر <u>.</u>

تعد مشكلة التلوث بالمعادن الثقيلة اليوم واحدة من اهم المشكلات البيئية التي تسبب سلسلة من المعوقات في كل من البيئة المائية والتربة. وحديثا تم استخدام المواد البيولوجية من الطحالب والنباتات المائية للتخلص من تلك المعادن الثقيلة لتنقية مياة الصرف من خلال تراكم هذة المعادن داخل محتوى الكائنات وتهدف الدراسة إلى توضح الاثار الناتجة من تلك المعادن الثقيلة مثل النحاس والرصاص داخل النظام الايضي في طحلب الاسيرولينا . ولقداظهرت النتائج إلى أن التركيزات الضعيفة من هذة المعادن لها تاثيرات تنشيطية في زيادة نمو الطحلب في حين ان التركيزات العالية مثبطة لنمو الطحلب تبعا لنوع المعدن حيث وجد ان معدن النحاس الاكثر تثبطا لنمو الاسبيرولينا عن معدن الرصاص. وتشير النتائج إلى انخفاض واضح في المحتوى الكلي للبروتينات والصبغات والكربو هيدرات والمحتوى الكلي للاحماض الأمينية لم يتم قياسها في هذا البحث. وقد اكدت التجارب تراكم كبير لمعدن النحاس عن الرصاص ويختلف معدل تراكم تلك المعادن داخل الطحلب معتمدا على درجة حموضة الوسط وكذلك تركيز المعدن داخل الوسط. واوضحت الدراسة تاثير المعادن المستخدمة على عمليتي حموضة الوسط وكذلك تركيزات العالية للمعادن.