**Egyptian Poultry Science Journal** 

http://www.epsj.journals.ekb.eg/

ISSN: 1110-5623 (Print) – 2090-0570 (Online)

# RE/ POST-HATCH NANO-ZINC SUPPLEMENTATIONS EFFECTS ON HATCHABILITY, GROWTH PERFORMANCE, CARCASS TRAITS, BONE CHARACTERISTICS AND PHYSIOLOGICAL STATUS OF INSHAS CHICKS

S.Z. El-Damrawy<sup>1</sup>; T.Kh. El-Rayes<sup>1</sup>; M. H. El-Deeb<sup>2</sup> and I. Adel Abdelghany<sup>1</sup> <sup>1</sup>Dep.of Anim.Prod., Fac. of Agric., Tanta Uni.,31527, Tanta, Egypt. <sup>2</sup>Anim.Prod. Res.inst., Agric.res. Center, Dokki, Giza,Egypt.

Corresponding author: Talaat Khedr El-Rayes E-mail: <u>talat.elrais@agr.tanta.edu.eg</u>

Received: 22/09/2019	Acc
----------------------	-----

ABSTRACT: Two trials were conducted to evaluate the efficiency of nano-zinc (ZnO-NPs) supplementations on hatchability, growth performance, carcass traits, bone characteristics and physiological status of Inshas chick. In the initial experiment, on day 18 of the incubation 1020 eggs in four groups (n=85, r=3) were injected with ZnO-NPs at levels of 0, 60, 80, and 100µg /egg.Results showed that in ovo injection with ZnO-NPs at different levels has no significant effect on the hatched chick weight. In addition, nano-zinc at the level up to 60µg/ egg has no adverse effect on hatchability percentage.In the second experiment 480 one-day-old unsexed chicks from the initial experiment with an initial weight of 33.64 ±0.98gwere fed on a diet containing nanozinc at the level of 0 or 30 mg / kg diet. The interaction of ZnO-NPs pre/post-hatch supplementations showed a significant effect on final body weight, weight gain, feed intake, and feed conversion ratio and the non-treated chicks in the control group showed the lowest values. The highest spleen weightwas recorded at the level of 100 µg ZnO-NPs/egg. The highest content of zinc in the breast meat was observed in chicks supplemented with 100µg/egg and fed 30 mg/ kg diet. Tibia bone ash content increased with increasing nano-zinc in the diet, meanwhile tibia bone Zn and P contents were increased with increasing nano-zinc in ovo supplementation. Chicks fed 30 mg ZnO-NPs/ kg diet showed highest values for tibia length, thickness when pre-hatch eggs supplemented with 100 µg ZnO-NPs/egg and the highest strength when pre-hatch supplemented with 60 µg ZnO-NPs/egg. ZnO-NPs in ovo supplementation had no significant effect on serum biochemical parameters. Total protein, albumin, ALT, AST, HDL, LDL, and serum Zn content values were increased with increasing nano-zinc in the diet except LDL. The highest phagocytic activities were observed in chicks fed 30 mg/ kg diet and pre-hatched with 60, 80, and 100 µg ZnO-NPs/egg.

Key words:Nano-zinc - Poultry -in ovo-Hatchability - Bone quality



Accepted: 27 /10/2019

# INTRODUCTION

Many of the modern technologies that are currently widely used have contributed to the development of poultry production in all stages in terms of quantity and quality, such as genetic improvement, the use of and In-ovo nutrition nanoparticles. technology (Fathi et al., 2016: Kucharska-Gaca et al., 2017). In-ovo nutrition technology can be defined as an appropriate injection of eggs with external substances, such as immunestimulants, hormones, minerals, vitamins, amino acids, and carbohydrates, which support better fetal development, hatching and prepare chicks for intensive growth (Liu et al., 2011; Ebrahimi et al., 2012;Selim et al., 2012; Roto et al., 2016).

Normal growth of chicken requires a balanced diet containing all the necessary nutrients, including minerals, which vary in the diet according to a number of interrelated factors including their forms (Das et al., 2014; Sheoran, 2017; Uniyal etal., 2017). Nanoparticles are nowadays exceedingly used in several sectors; including nutrition mainly in the preparation of nano-minerals mostly trace minerals, which bioavailability is low in addition to reduce intestinal mineral antagonism (Ankamwar et al., 2005; El Basuini et al., 2017; Gopi et al., 2017). Studies have reported that nanoparticles supplementations boosted the nutrients utilization and bioavailability, immunity, and performance in livestock and poultry (Sahoo et al., 2014<sup>a</sup>; Vijayakumar and Balakrishnan, 2014; Ognik et al., 2016; Al-Beitawi et al., 2017).

Zinc is an essential trace element for the physiological function of livestock animals, and it plays an important role in many biological processes Sloup *et al.*, 2017; Zhang *et al.*, 2018). Since materials

at the nano-scale dimension exhibit novel properties (Thulasi et al., 2013), Nano-Zn (ZnO-NPs) has attracted attention (Ognik et al., 2016).

Previous studies have indicated that in ovo supplementation of nano-zinc has no detrimental effect on the hatchability and can boost the post-hatch performance of broiler chicken (Oliveira et al., 2015<sup>b</sup>; Joshua et al., 2016). Knowledge about the combination effects of nano-zincin ovo and dietary supplementations on Inshas chicks is restricted. Thus, this study aims to investigate the effect of in ovo and ZnO-NPs post-hatch feeding by at different levels on hatchability, growth traits, performance, carcass bone characteristics and physiological status of Inshas chicks.

# MATERIALS AND METHODS 1. Preparation of zinc nanoparticles (ZnO-NPs)

Zinc in nanoparticles form was prepared usingprimary materials namely zinc sulfate and sodium hydroxide according to Kumar et al.(2013). Briefly, zinc sulfate was dissolved by slowly adding sodium hydroxide drops in a molar ratio of 1:2 under continuous vigorous stirring for 12 hrs. The precipitate was filtered, washed thoroughly with deionized water and dried at 100°C and then ground to a fine powder using an agate mortar. The size of the prepared ZnO-NPs was determined by scanning electron microscopy and ranged between 20-85 nm (Fig.1).

2.2. Experimental design and animals

This study was carried out in the animal research station, Sakha agricultural research center, Egypt.Two trials were conducted to evaluate the efficiency of ZnO-NPs supplementations for Inshas strain hatchability, growth performance, carcass traits, bone characteristics and

Nano-zinc – Poultry - *in ovo*-Hatchability - Bone quality

physiological status. Inshas strain is developed from a cross between Sina and Plymoth Rock breeds, which characterized by its ability to withstand unfavorable conditions imposed in the Egyptian farm (Abou El-Ghar and Abd El-Karim, 2016).

Experiment 1:1020 fertilehatching eggs(have the same weight) from Inshas strain were chosenaftercandling at 14 day of incubation period to get rid of unfertilized, contaminated, or/and dead embryos eggs. Eggs were randomly divided into 4 experimental groups in triplicates (n=85 eggs, r = 3) and injected on day 18 of the incubation into embryonic amnion sac by gauge needle at 25 mm depth with 0.5 ml of in-ovofeeding solutions consisting of a saline solution (0.9 % NaCl) containing nanozinc (ZnO-NPs) at levels of 0 (control = C0), 60 (C60), 80 (C80), and 100 (C100) µg /egg. After injection, special care was holes using taken to cover glue. Hatchability calculated was and expressed as a percentage of fertilized eggs. Also, hatch weight of chicks was recorded.

**Experiment 2:** A total of 480 one-dayold unsexed Inshas strain chicks obtained from the first experiment were allocated into 4 main groups (n=60) with 33.64  $\pm 0.98$  g initial body weight. Each one of the main group was divided into two subgroups according to the feeding diet, where ZnO-NPs supplemented at the level of 0 and 30 mg/kg diet resulted in  $4\times 2$  factorial designas follows:

D0C0=0 mg/kg ZnO-NPs dietary supplementation+0 µg ZnO-NPs/egg (*in ovo* supplementation) (control group).

D0C60 =0 mg/kg ZnO-NPs dietary supplementation + 60  $\mu$ g ZnO-NPs /egg (*in ovo* supplementation). D0C80 =0 mg/kg ZnO-NPs dietary supplementation + 80 μg ZnO-NPs /egg (*in ovo* supplementation).

D0C100 =0 mg/kg ZnO-NPs dietary supplementation + 100  $\mu$ g ZnO-NPs /egg (*in ovo* supplementation).

D30C0 =30 mg/kg ZnO-NPs dietary supplementation + 0  $\mu$ g ZnO-NPs /egg (*in ovo* supplementation).

D30C60 =30 mg/kg ZnO-NPs dietary supplementation + 60  $\mu$ g ZnO-NPs /egg (*in ovo* supplementation).

D30C80 =30 mg/kg ZnO-NPs dietary supplementation + 80 µg ZnO-NPs /egg (*in ovo* supplementation).

D30C100=30 mg/kg ZnO-NPs dietary supplementation + 100 µg ZnO-NPs /egg (*in ovo* supplementation).

Chicks were raised for 10 weeks in a controlled and disinfected system and feed was offered ad-libitum along with clean drinking water. The formulation and proximate composition of the basal diet are shown in Table 1 which contains about 19.7% crude protein, 3.71% lipid. Prior to the final sampling, feeding was discontinued and the parameters of growth and nutrient utilization were calculated using the following formulas:

Weight Gain (WG, g) = Final weight – Initial weight.

Feed Intake (FI, g/ bird/ 10 weeks) = (dry diet given – dry remaining diet recovered)/no. of birds.

Feed Conversion Ratio (FCR) = dry feed intake, g/ live weight gain, g.

# 3. Samples collection and analytical procedure

Chemical analysis of experimental diets were performed using standard methods (AOAC, 2000) for dry matter by dehumidification through drying to constant weight at 110 °C, crude protein content by applying the method of Kjeldahl, crude lipid by Soxhlet solvent

extraction method and ash by burning for 4h at 550 °C in Muffle furnace. At the end of the feeding trial, three birds per replicate were randomly collected. slaughtered after fasting for 8 hrs and the internal organs (liver, spleen, heart, thymus) bursa. and were gizzard. weighed carefully dissected out, individually and expressed as а percentage of body weight. Tibia bones were separated; their cartilages were removed; besides weight and length were determined. Tibia bone breaking strength was determined according to the method of Crenshaw et al.(1981). Minerals (Ca, Zn. and P) were contents measuredcalorimetrically using standard methods of(AOAC, 2000).

Serum was collected using nonheparinized disposable tubes after whole blood was clotted and centrifuged at 3000 rpm for 20 min and serum samples were kept at -20°C until the analysis. Serum total protein, albumin were determined using calorimetric method according to al. (1971); Doumas et Henry (1964).Globulin was calculated bv subtracting the albumin value from the total protein value of the same sample 1986). (Coles. Also. serum zinc concentration, triglyceride, AST, and ALT were detected spectrophotometrically according to the improved calorimetric methods (Gottfried and Rosenberg, 1973; Johnson et al., 1977; Reitman and Frankel, 1957). Determination of cholesterol, HDL, and LDL were performed according to Herrmann et al.(1983); Okada and Ishida, (2001).

A Phagocytic activity (PA) was measured according to Rashid et al.(1994). Briefly, 100  $\mu$ l of serum samples were mixed with 100  $\mu$ l of heat killed *Candida albicans* yeast suspension (5×10<sup>6</sup>/ml), incubated at 37° C for 30 minutes and then centrifuged at 1000 rpm for 5 minutes. The resulted supernatants were removed and the pellets were re-suspended to be used in preparing smears. Smears were air dried, fixed with methyl alcohol and stained with Giemsa stain. The numbers of heterophils ingesting Candida were counted from one hundred heterophils.

Phagocytic activity (PA) = Percentage of phagocytic cells containing yeast cells.

Phagocytic index (PI) = Number of yeast cells phagocytized/ Number of phagocytic cells.

# 4. Statistical analysis

Statistical analysis was performed with general linear model procedure using statistical analysis system (SAS version 9.1.3, 2007) for Windows. Means were tested for significant differences using Duncan's multiple range test and differences between treatments were considered significant (P<0.05). First experiment data were analyzed by oneway ANOVA according to the following model:

 $Y_{ij} = \mu + C_i + E_{ij}$ 

Where,  $\mu$  is the overall mean; C<sub>i</sub> is the fixed effect of i<sup>th</sup>*in ovo* nano-zinc supplementation; and E<sub>ij</sub> is the random error.

Second experiment data were analyzed using two-way ANOVA according to the following model:

 $Y_{ijk} = \mu + C_i + D_j + CD_{ij} + E_{ijk}$ 

Where,  $\mu$  is the overall mean; C<sub>i</sub> is the fixed effect of i<sup>th</sup>*in ovo* nano-zinc supplementation; D<sub>j</sub> is the fixed effect of j<sup>th</sup> nano-zinc dietary supplementation; CD<sub>ij</sub> is the interaction effect of i<sup>th</sup> nano-zinc *in ovo* and dietary supplementations; and E<sub>iik</sub> the random error.

# Nano-zinc - Poultry - in ovo-Hatchability - Bone quality

# RESULTS

# 1. Hatching performance:

Hatchability of fertile eggs percentage and hatched chick weight of Inshas eggs injected by graded levels of ZnO-NPs are Table 2. shown in Egggroups supplemented with experimental concentrations of ZnO-NPs represented numerical increase of hatched chick weight compared with control, while groups of C60 and C80showed numerical increase by 7.74 and 4.97% respectively control group.The hatchability over percentage was significantlyinfluenced (P<0.05) by high levels of in ovonanozinc supplementation. High levels of nano-zinc in the C80 and C100 groups resulted in a low hatching rate, while there was no significant difference between the control group and the C60 group.

3.2. Growth parameters and nutrient utilization

Effects of ZnO-NPs in ovo and post hatch supplementation on Inshas chick's growth performance and nutrient utilizationare shown in Table 3. The effect of ZnO-NPs pre/post-hatch supplementations interactions on (FnWt), (WG), (FI), and are significant(P<0.05). (FCR) The control group showed the lowest values for FnWt, WG and FI meanwhile the best improvement of FCR was observed in group D30C0 compare with other interactions.

### **3.** Carcass characteristics:

Table 4 represents carcass characteristics of *in ovo* and post hatch ZnO-NPs supplemented Inshas chicks. No significant differences were detected in the relative weight of heart, bursa, thymus, abdominal fat, and breast meatamong treatments. Only ZnO-NPs *in ovo* supplementations had a significant factor on spleen weight percentageand the highest values were recorded at the level of 100  $\mu$ g ZnO-NPs/egg (P < 0.05). Meanwhile, effect of ZnO-NPs *in ovo* and post hatch supplementations interactions on the content of zinc in the breast meat were significant and the highest zinc content was observed in D30C100 while D0C0 showed the lowest value.

### 4. Tibia bone characteristics:

Tibia bone characteristics as affected by ZnO-NPs are shown in Table 5. ZnO-NPs pre/post-hatchsupplementations

interactionshad a significant effect on all tibia bone characteristics in terms of length, weight, strength and minerals content. While, the effect of nano-zinc supplementation dietarv was only significant on tibia bone ash contentas it increased with increasing nano-zinc in the diet. In addition, the effect of nano-zinc in ovo supplementation was significant on tibia bone Zn and P contentsas it increased with increasing nano-zinc. The highest values for tibia length and thickness were observed for birds in D30C80 and highest strength was in D30C60 while the highest weight was found in D30C0.

# **5. Blood biochemical Parameters:**

Table 6 represents the blood parameters of Inshas chicks due to egg injection and dietary supplementation with ZnO-NPs. effect nano-zinc The of dietary supplementation was significant on Total protein, albumin, ALT, AST, HDL, LDL, and serum Zn content astheir values were increased with increasing nano-zinc in the dietexcept that of LDL. In contrast, ZnO-NPs in ovo supplementations had no significant effect on serum biochemical parameters. The interaction effect was significant for ALT, AST, cholesterol, HDL, and LDL and the highest values were recorded in the chick of D30C100except LDL in D0C0.

# 6. Phagocytic activity:

Phagocytic activity of Inshas chicks fed tested diets for 10 weeks and pretreated by nano-zinc *in ovo* supplementation is shown in Table 7. *In ovo* feeding of ZnO-NPs had no significant effect while dietary supplementation and the interaction showed a significant on phagocytic activity (P<0.05). The highest phagocytic activities were observed in D30C60, D30C80, and D30C100 groups.

#### DISCUSSIONS

Zinc at adequate level plays serious roles in the overall performance of animals including poultry, as it involves in an assortment of biological systems and is the main component of a large number of enzymes(Akbari et al., 2016, 2018; Torres and Korver, 2018; Zhang et al., 2018). Poultryrequirements of zinc range from 30 to 40  $\mu$ g / kg depending on a number of factors, including species or age, environmental conditions, breeds. diet composition, supplementation levels, and forms (Burrell et al., 2004; Rossiet al., 2007; Roy et al., 2013). Nanoparticles have been reported to be more efficient for animals than larger particles at low doses due to the easy absorption and biological availability as well as appear to interact better with other materials due to the significance of the active surface(Khalil et al., 2013; Wang et al., 2015; El Basuini et al., 2016, 2017).

present study, hatchability In the percentage of Inshas strain was affected by in ovo zinc supplementations, which is in line with the previous studies reported by Joshua et al.(2016); Jose et al. (2018); Sun et al. (2018). Results indicate thatin ovo ZnO-NPs by up to 60  $\mu$ g/ egg has no effect adverse onhatchability percentagebut with decreases increasingZnO-NPs above 60 µg per egg. It has been reported that, in ovo zinc injection at a proper level has no adverse effect on developing chicken embryo or hatchability(Tako et al., 2005; Yair et al., 2013). Meanwhile, high levels of zinc showed a reduction in the hatchability and this may be attributed to theimbalance of amnion minerals content that interfered with embryogenesis during the late incubation or the toxicity of zinc nano-form due to its high availability(Star et al., 2012; Swain et al., 2016Jose et al., 2018;). The weight of the hatched chicks evolved insignificantly with ZnO-NPs in ovo supplementation which consist with the previous results (Oliveira et al., 2015<sup>a</sup>;Joshua *et al.*, 2016).

Injection of ZnO-NPs in ovo or dietary supplementations showed no significant effect on (FnWt), (WG), (FI) and (FCR) Inshas chicks while of their interactionsexhibited a significant effect (P<0.05). In accordance with our results, post-hatch growth performance did not affected by ZnO-NPs in ovo administration (Yair et al., 2013; Oliveira 2015<sup>a</sup>) al., or dietary zinc et supplementation (Rossi et al., 2007; Sunder et al., 2013). Contrary, Joshua et al.(2016) reported a significant effect of zinc nano-form in ovo feeding at the level of 40 µg/ egg on weight gain and feed conversion ratio. In addition, nano-zinc dietary supplementation promote growth performance and feed utilization at the level of 20 mg/kg (Fathi et al., 2016) and 20 - 60 mg / kg (Zhao *et al.*, 2014). The positive effect of ZnO-NPs pre/post-hatch supplementations interaction on growth performance and feed utilization may be linked to the improvement in the intestine development as reportedTako et al. (2005) or/ and up-regulation of growth-related genes (Goel et al., 2012).

The characteristics of the carcass did not change in general with the addition of

Nano-zinc – Poultry - *in ovo*-Hatchability - Bone quality

zinc whether in ovo or dietary sources except that for abdominal fat% with dietary zinc, spleen with in ovo zinc, and breast meat zinc content with zinc in ovo and dietary supplementations interaction. The results of the present study are in agreement with the previous works which reported no significant effect of zinc on carcass traits (Yogesh et al., 2013; Karthikeyan et al., 2017). On the other hand, a significant effect of zinc supplementation on carcass traits and internal organs weight were reported byMehran et al. (2015; Olukosi et al.(2018). addition. Zn In supplementation was found to boost the intramuscular fat content in broilers breast muscle (Liu et al., 2015) and weight of digestive and lymphoid organs (Mohammadi et al., 2015).

The skeleton of poultry is characterized bv rapid growth during its short productive life cycle, playing a key role in production not only by providing structural support but also as a source of minerals for metabolic process (Bao et al., 2007; Sahraei et al., 2012). Zinc has a key role in bone formation and maintenance(Park et al., 2004). Results of the present study showed that tibia bone characteristics were improved bv pre/post-hatch zinc supplementations. These results are in consistence with those obtained byYair and Uni (2011); Yair al.(2013):Tomaszewska et et al.(2017). In addition, ZnO-NPs in ovo and dietary supplementation at high levels did not antagonize calcium or phosphorusbut on the contrary increased their bone content and this can be attributed to improved zinc properties when used in nano form(Sahoo et al., 2014<sup>a</sup>; Swain *et al.*, 2016).

Blood biochemistry parameters are important signals of the physiological

response as well as the general health condition of animals (Abou-Zeid et al.,2015; El Basuini et al., 2017). The blood parameters of treated Inshas chicks were varied significantly in terms of total protein, albumin, ALT, AST, HDL, LDL, and serum Zn content as their values increased with increasing zinc level LDL decreased.Total except serum protein is a good signal for animal enhanced immunity (Coeurdacier et al., 2011). The increased values of total protein and albumin with zinc supplements refer to the basic role of zinc in protein synthesis(MacDonald, 2000). While ALT and AST values reflect the functional liver and kidney condition, as increased value may their indicate toxicity with high levels of zinc as previously reported (Sahoo et al., 2014b; Sharma et al., 2012; Wang et al., 2008). Alteration of serum lipid content (HDL, LDL) with zinc addition indicates the role of inlipid digestion zinc and absorption(Al-Daraji and Amen, 2011; Fathi et al., 2016). Zinc supplementation also significantly increasedserum/ plasma Zn contents (Sunder et al., 2013; Olukosi et al., 2018).

Phagocytic activity is a vital component host withstand of the to pathogens(Sornplang et al., 2015). In this phagocytic activities study. were developed due to the interaction between in ovo and dietary zinc supplementations at high levels. Zinc is very substantial for a number of immune system functions(Park et al., 2004). As a result of the active surface of the nanoparticles, there is a possibility that when these particles contact with the immune cells, an interaction will occur with a high probability to increase or inhibit immune functions(Dobrovolskaia and McNeil.

2007; Zolnik et al., 2010 Smith et al.,	nano-zinc at the level up to 60 µg/ egg
2014).	has no adverse effect on the hatchability.
To sum up, the present study is	Interactions of ZnO-NPs in
preliminary work for evaluating the	ovosupplementation along with dietary
supplementation of nano-zinc starting	supplementation showed better results
from embryogenesis using in ovo	than the effect of each of them separately.
technique along with dietary	It is likely that 60µgZnO-NPs/ egg
supplementations after hatching.	combined with 30 mg/ kg in the diet is
In conclusion, in ovofeeding of ZnO-NPs	sufficient to improve the growth
at different levels has no significant effect	performance of Inshas chicks.
on the hatched chick weight. In addition,	

<b>Fable (1):</b> Formulation and ch	emical analysis of the	e basal diet (Starter die	et 0-12 weeks).
--------------------------------------	------------------------	---------------------------	-----------------

Ingredients	0%
Yellow corn	62.3
Soybean meal (44%)	32.1
Dicalcium phosphate	1.9
Limestone	1.8
Vitamin and mineral premix*	0.3
Salt	0.3
Methionine	0.1
Sand	1.2
Total	100
Proximate composition	
Crude protein	19.7±0.08
Crude lipids	0.71 0.10
crude lipids	3./1±0.12
ME (KJ/g) **	$3.71\pm0.12$ 11.74±0.20
ME (KJ/g) ** Calcium	$3.71\pm0.12$ 11.74±0.20 1.20±0.03
ME (KJ/g) ** Calcium Available phosphorus	$\begin{array}{c} 3.71 \pm 0.12 \\ 11.74 \pm 0.20 \\ 1.20 \pm 0.03 \\ 0.74 \pm 0.03 \end{array}$
ME (KJ/g) ** Calcium Available phosphorus Methionine	$\begin{array}{c} 3.71 \pm 0.12 \\ 11.74 \pm 0.20 \\ 1.20 \pm 0.03 \\ 0.74 \pm 0.03 \\ 0.44 \pm 0.01 \end{array}$

\* Vitamin and mineral premix (kg): Vitamin A (12000 IU), Vitamin D (2200 IU), Vitamin E (10 mg), Vitamin k3 (2mg), Vitamin B1 (1mg), Vitamin B2 (5mg), Vitamin B6 (1.5 mg), Vitamin B12 (10 Mcg), Nicotinic acid (30 mg), Folic acid (1 mg), Pantothenic acid (10 mg), Biotin (50 Mcg), Choline chloride (500 mg), Copper (10 mg), Iron (30 mg), Manganese (60 mg), Zinc (0.05 mg), Iodine (1 mg), Selenium (0.1 mg) and Cobalt (0.1 mg).

\*\* Calculated using combustion values for protein, lipid and carbohydrate of 23.6, 39.5 and 17.2 kJ/g, respectively.

Table (2): Effect of Nano-zinc in ovo feeding on Inshas hatching performance

Parameters	C0	C60	C80	C100
Hatched chick weight (g)	32.41±0.75	34.92±1.18	34.02±0.54	33.25±0.72
Hatchability of fertile eggs%	$80.23{\pm}1.31^{a}$	$79.82 \pm 2.60^{a}$	$55.72 \pm 2.98^{b}$	$49.53 \pm 1.91^{b}$

Means with different letters in the same row are significantly different ( $P \le 0.05$ ).

Table (3). Growth and nutrient utilization of Inshas chicks (average initial body							
weight 22.64 (0.08 g) fed tested diets for 10 weeks							
weight: $33.64 \pm 0.9$	98 g) ted teste	a diets for 10 v	weeks.				
Item	InWt	FnWt	WG	FI	FCR		
D0C0	32.40	1266.22 <sup>c</sup>	1233.82 <sup>c</sup>	$2243.84^{f}$	1.82 <sup>ab</sup>		
D0C60	34.91	1304.44 <sup>b</sup>	1269.53 <sup>b</sup>	2324.39 <sup>e</sup>	1.83 <sup>ab</sup>		
D0C80	34.00	1305.65 <sup>b</sup>	1271.65 <sup>b</sup>	2498.93 <sup>b</sup>	1.97 <sup>a</sup>		
D0C100	33.27	1344.65 <sup>a</sup>	1311.38 <sup>a</sup>	2632.75 <sup>a</sup>	2.01 <sup>a</sup>		
D30C0	32.41	1314.17 <sup>b</sup>	1281.76 <sup>b</sup>	$2282.56^{d}$	1.78 <sup>b</sup>		
D30C60	34.89	1313.48 <sup>b</sup>	1278.59 <sup>b</sup>	2466.74 <sup>c</sup>	1.93 <sup>a</sup>		
D30C80	34.02	1319.59 <sup>ab</sup>	1285.57 <sup>b</sup>	2682.34 <sup>a</sup>	2.09 <sup>a</sup>		
D30C100	33.25	1312.61 <sup>b</sup>	1279.36 <sup>b</sup>	2348.88 <sup>d</sup>	1.84 <sup>ab</sup>		
MSE	0.83	28.47	19.84	21.52	0.23		
Two way ANOVA	(P-Value)						
Dietary Nano-Zn	0.980	0.568	0.564	0.876	0.976		
In Ovo Nano-Zn	0.444	0.458	0.221	0.193	0.185		
Interaction	0.782	0.042	0.043	0.039	0.037		

Nano-zinc – Poultry - in ovo-Hatchability - Bone quality

Means with different letters in the same column are significantly different ( $P \le 0.05$ ). InWt= initial body weight, FnWt= final body weight, WG= weight gain, FI=feed intake,

FCR= feed conversion ratio.

Table	(4): ]	Effect	of	Nano-Zn	suppl	lementation	levels	on	carcass	characteristics	of
Inshas	chick	s.									

Itom	Heart	Liver	Spleen	Bursa	Thymus	Abd.	Breast	Zn in Breast
Item	%	%	%	%	%	fat%	meat%	Meat%
D0C0	0.54	1.96	0.13 <sup>ab</sup>	0.24	0.38	0.36 <sup>b</sup>	15.91	0.029 <sup>b</sup>
D0C60	0.51	1.94	0.10 <sup>b</sup>	0.22	0.41	0.27 <sup>c</sup>	15.67	0.030 <sup>ab</sup>
D0C80	0.57	2.03	0.10 <sup>b</sup>	0.26	0.38	$0.28^{\circ}$	15.56	0.032 <sup>a</sup>
D0C100	0.48	1.89	0.16 <sup>a</sup>	0.18	0.32	$0.25^{\circ}$	13.94	0.032 <sup>a</sup>
D30C0	0.48	1.83	0.11 <sup>b</sup>	0.22	0.31	0.34 <sup>b</sup>	13.07	$0.030^{ab}$
D30C60	0.47	1.87	0.09 <sup>b</sup>	0.16	0.27	$0.40^{a}$	15.84	0.032 <sup>a</sup>
D30C80	0.57	2.07	0.12 <sup>ab</sup>	0.18	0.33	0.41 <sup>a</sup>	15.80	0.033 <sup>a</sup>
D30C100	0.53	1.69	0.19 <sup>a</sup>	0.27	0.42	0.34 <sup>b</sup>	13.11	0.036 <sup>a</sup>
MSE	0.03	0.22	0.02	0.08	0.14	0.03	2.84	0.02
		,	Two wa	ay ANO	<b>DVA (P-</b>	Value)		
Dietary Nano-	.0 604	0 222	0.954	0 577	0.22	0.026	0.404	0.210
Zn	0.094	0.323	0.054	0.377	0.32	0.030	0.404	0.219
In Ovo	0 101	0 167	0.022	0.820	0.07	0 969	0.250	0.179
Nano-Zn	0.191	0.107	0.022	0.039	0.97	0.000	0.230	0.178
Interaction	0.074	0.093	0.057	0.127	0.62	0.081	0.088	0.032

Means with different letters in the same column are significantly different (P $\leq$  0.05)

chara	acteristic	s of Insh	as chicks.						
Traits Treatments	Length (cm)	Weight (g)	Thickness (cm)	Weight/Length Index (mg/mm)	Strength (N)	Ash%	Zn%	Ca%	Р%
D0C0	11.15 <sup>c</sup>	5.22 <sup>e</sup>	0.85 <sup>b</sup>	46.81 <sup>d</sup>	277.00 <sup>c</sup>	38.43 <sup>d</sup>	0.029 <sup>b</sup>	34.78 <sup>d</sup>	15.49 <sup>c</sup>
D0C60	$10.21^{f}$	5.25 <sup>e</sup>	$0.80^{\circ}$	51.42 <sup>ab</sup>	235.11 <sup>f</sup>	31.64 <sup>g</sup>	0.030 <sup>ab</sup>	36.12 <sup>b</sup>	16.32 <sup>b</sup>
D0C80	10.31 <sup>e</sup>	5.14 <sup>f</sup>	$0.88^{b}$	49.84 <sup>b</sup>	206.10 <sup>g</sup>	32.11 <sup>g</sup>	0.033 <sup>a</sup>	36.81 <sup>a</sup>	16.30 <sup>b</sup>
D0C100	11.31 <sup>b</sup>	5.54 <sup>c</sup>	$0.84^{b}$	48.98 <sup>d</sup>	196.80 <sup>h</sup>	36.07 <sup>f</sup>	0.035 <sup>a</sup>	35.63 <sup>c</sup>	16.89 <sup>ab</sup>
D30C0	11.25 <sup>b</sup>	5.86 <sup>a</sup>	$0.87^{b}$	52.09 <sup>a</sup>	281.10 <sup>b</sup>	39.47 <sup>c</sup>	0.029 <sup>b</sup>	35.84 <sup>c</sup>	15.50 <sup>c</sup>
D30C60	11.27 <sup>b</sup>	5.63 <sup>b</sup>	$0.87^{b}$	49.96 <sup>b</sup>	326.90 <sup>a</sup>	41.31 <sup>b</sup>	0.030 <sup>ab</sup>	36.33 <sup>b</sup>	16.35 <sup>b</sup>
D30C80	11.45 <sup>a</sup>	5.48 <sup>c</sup>	0.93 <sup>a</sup>	47.86 <sup>e</sup>	282.30 <sup>b</sup>	45.43 <sup>a</sup>	0.034 <sup>a</sup>	36.94 <sup>a</sup>	16.49 <sup>b</sup>
D30C100	10.85 <sup>d</sup>	5.32 <sup>d</sup>	$0.88^{b}$	49.03 <sup>c</sup>	243.90 <sup>e</sup>	38.52 <sup>d</sup>	0.036 <sup>a</sup>	35.71 <sup>c</sup>	17.03 <sup>a</sup>
MSE	0.06	0.06	0.04	1.14	2.33	0.69	0.05	0.25	0.37
Two way Al	NOVA (	P-Value	)						
Dietary Nano-Zn	0.188	0.096	0.086	0.731	0.069	0.025	0.824	0.495	0.836
<i>In Ovo</i> Nano-Zn	0.855	0.893	0.355	0.807	0.542	0.967	0.001	0.054	0.047
Interaction	0.047	0.044	0.039	0.041	0.030	0.029	0.027	0.033	0.042
Mear	ns with di	fferent le	tters in the sa	me column are sig	gnificantly d	ifferent (1	P≤0.05).		

S.Z. El-Damrawy<sup>1</sup>et al.

Table 5: Effectof in ovo and Post-hatch Nano-Zn supplementation on tibia bone

	The (0). Effect of in ovo and rost nation rando Zin supplementation on serum biochemical parameters of insitas effects									
Item	Total protein (g/dl)	Albumin (g/dl)	Globulin (g/dl)	ALT/GPT (U/L)	AST/GOT (U/L)	Triglyceride (mg/dl)	Cholesterol (mg/dl)	HDL (mg/dl)	LDL (mg/dl)	Serum Zn (µmol/L)
D0C0	3.12 <sup>b</sup>	1.92 <sup>d</sup>	1.20	7.80 <sup>d</sup>	105.03 <sup>c</sup>	69.67	97.13 <sup>c</sup>	32.71 <sup>d</sup>	60.88 <sup>a</sup>	25.00 <sup>c</sup>
D0C60	3.18 <sup>b</sup>	1.92 <sup>d</sup>	1.26	7.94 <sup>d</sup>	105.52 <sup>c</sup>	69.33	96.82 <sup>c</sup>	32.69 <sup>d</sup>	58.12 <sup>c</sup>	25.54 <sup>c</sup>
D0C80	3.20 <sup>b</sup>	1.94 <sup>d</sup>	1.26	7.96 <sup>d</sup>	105.77 <sup>c</sup>	68.87	97.32 <sup>c</sup>	32.87 <sup>d</sup>	59.59 <sup>b</sup>	25.55°
D0C100	3.25 <sup>ab</sup>	1.95 <sup>c</sup>	1.30	8.09 <sup>d</sup>	106.04 <sup>c</sup>	68.41	98.08 <sup>b</sup>	33.08 <sup>d</sup>	59.36 <sup>b</sup>	25.64 <sup>c</sup>
D30C0	3.31 <sup>a</sup>	1.98 <sup>c</sup>	1.33	9.33 <sup>c</sup>	107.12 <sup>b</sup>	66.11	97.89 <sup>c</sup>	38.58 <sup>c</sup>	54.07 <sup>d</sup>	27.67 <sup>b</sup>
D30C60	3.30 <sup>a</sup>	1.97 <sup>c</sup>	1.33	10.57 <sup>b</sup>	108.74 <sup>b</sup>	66.84	98.71 <sup>b</sup>	40.22 <sup>b</sup>	53.91 <sup>d</sup>	28.11 <sup>a</sup>
D30C80	3.32 <sup>a</sup>	2.06 <sup>b</sup>	1.26	11.92 <sup>ab</sup>	109.36 <sup>a</sup>	67.52	99.18 <sup>b</sup>	41.12 <sup>a</sup>	53.49 <sup>d</sup>	$28.09^{ab}$
D30C100	3.38 <sup>a</sup>	2.14 <sup>a</sup>	1.24	12.39 <sup>a</sup>	110.85 <sup>a</sup>	69.88	102.66 <sup>a</sup>	42.95 <sup>a</sup>	54.17 <sup>d</sup>	28.55 <sup>a</sup>
MSE	0.07	0.03	0.13	0.94	1.53	1.12	1.25	1.15	0.37	0.52
Two way ANO	VA ( <i>P-</i> Valu	le)								
Dietary Nano-Zn	0.005	0.041	0.305	0.004	0.005	0.136	0.081	0.0001	0.0001	0.0001
In Ovo Nano-Zn	0.790	0.635	0.923	0.888	0.821	0.879	0.498	0.977	0.985	0.98
Interaction	0.061	0.057	0.221	0.037	0.040	0.119	0.045	0.033	0.049	0.212
				a 1 11 00						

Table (6): Effect of in ovo and Post-hatch Nano-Zn supplementation on serum biochemical parameters of Inshas chicks

Means with different letters in the same column are significantly different ( $P \le 0.05$ ).

# Nano-zinc - Poultry - in ovo-Hatchability - Bone quality

Item	Phagocytes activity	Phagocytes index
D0C0	54.00 <sup>c</sup>	3.53 <sup>b</sup>
D0C60	54.66 <sup>b</sup>	3.63 <sup>b</sup>
D0C80	56.66 <sup>b</sup>	3.76 <sup>b</sup>
D0C100	56.00 <sup>b</sup>	3.73 <sup>b</sup>
D30C0	54.66 <sup>c</sup>	3.60 <sup>b</sup>
D30C60	69.66 <sup>a</sup>	4.43 <sup>a</sup>
D30C80	69.00 <sup>a</sup>	4.43 <sup>a</sup>
D30C100	69.66 <sup>a</sup>	4.63 <sup>a</sup>
MSE	1.33	0.23
Two way ANOVA (P-	Value)	-
Dietary Nano-Zn	0.035	0.041
In Ovo Nano-Zn	0.682	0.630
Interaction	0.040	0.039

**Table (7):** Effect of in ovo and Post-hatch Nano-Zn supplementation on phagocytic activity of Inshas chicks

Means with different letters in the same column are significantly different ( $P \le 0.05$ ). Means having same subscript letters were not significantly different. Absence of letters indicates no significant difference between treatments.

PA= Phagocytic activity, PI= Phagocytic index.

#### Figure (1):Scanning Electron Microscopy for Nano-Zn



#### REFERENCES

- Abou-Zeid, A.E., El-Damrawy, S.Z., El-Rayes, T.K, 2015. Biochemical, Immunological and Pathological Studies on Broiler Fed Aflatoxin B1 contaminated Diet Treated Biologically by Lactobacillus acidophilus Saccharomyces or cerevisiae. Egyptian J. Nutrition and Feeds. 18(2), 409-420.
- Abou El-Ghar, R.S., Abd El-Karim, R., 2016. Effect of early selection for body weight, keel length and breast circumference on egg production traits in inshas strain of chickens. Egypt. Poult. Sci. J. 36, 375–387. https://doi.org/10.21608/epsj.2016.541
- Akbari, M.K.R., Bakhshalinejad, R., Shafiee, M., 2016. Effect of dietary zinc and  $\alpha$ -tocopheryl acetate on performance, broiler immune responses, antioxidant enzyme activities. minerals and vitamin concentration in blood and tissues of broilers. Anim. Feed Sci. Technol. 221, 12 - 26.

https://doi.org/10.1016/j.anifeedsci.20 16.08.016

- Akbari, M.K.R., Bakhshalinejad, R.,
  Zoidis, E., 2018. Interactive effects of α-tocopheryl acetate and zinc supplementation on the antioxidant and immune systems of broilers. Br. Poult. Sci. 59, 679–688. https://doi.org/10.1080/00071668.2018 .1521510
- Al-Beitawi, N.A., Momani Shaker, M., El-Shuraydeh, K.N., Bláha, J., 2017. Effect of nanoclay minerals on growth performance, internal organs and blood biochemistry of broiler chickens compared to vaccines and antibiotics. J. Appl. Anim. Res. 45, 543–549.

https://doi.org/10.1080/09712119.2016 .1221827

Ankamwar, B., Damle, C., Ahmad, A., Sastry, M., 2005. Biosynthesis of Gold and Silver Nanoparticles Using <I&gt;Emblica Officinalis&lt;/I&gt; Fruit Extract, Their Phase Transfer and Transmetallation in an Organic Solution. J. Nanosci. Nanotechnol. 5, 1665–1671.

https://doi.org/10.1166/jnn.2005.184

- AOAC, 2000. Official methods of analysis, 16th ed, Association of Official Analysis Chemists. Washington DC.
- Bao, Y.M., Choct, M., Iji, P.A., K., 2007. Bruerton, Effect of Organically Complexed Copper, Iron, Manganese, and Zinc on Broiler Performance, Mineral Excretion, and Accumulation in Tissues. J. Appl. Poult. Res. 16. 448-455. https://doi.org/10.1093/japr/16.3.448
- Burrell, A.L., Dozier, W.A., Davis, A.J., Compton, M.M., Freeman, M.E., Vendrell, P.F., Ward, T.L., 2004. Responses of broilers to dietary zinc concentrations and sources in relation to environmental implications. Br. Poult. Sci. 45, 255–63.
- Coeurdacier, J.-L., Dutto, G., Gasset, E., Blancheton, J.-P., 2011. Is total serum protein a good indicator for welfare in reared sea bass (*Dicentrarchus labrax*)? Aquat. Living Resour. 24, 121–127. https://doi.org/10.1051/alr/2011130
- Coles, E.H., 1986. Veterinary Clinical Pathology, 1st ed. W.B. Saunders Company, Philadephia London Toronto.
- Crenshaw, T.D., Peo, E.R., Lewis, A.J., Moser, B.D., 1981. Bone Strength as a Trait for Assessing Mineralization in

Swine: a Critical Review of Techniques Involved. J. Anim. Sci. 53, 827–835. https://doi.org/10.2527/jas1981.53382 7x

- Das, A., Mishra, S.K., Swain, R.K., Sahoo, G., Behura, N.C., Sethi, K., Chichilich, B., Mishra, S.R., Behera, T., Dhama, K., Swain, P., 2014. Effects of Organic Minerals Supplementation on Growth, Bioavailability and Immunity in Layer Chicks. Int. J. Pharmacol. 10, 237–247. https://doi.org/10.3923/ijp.2014.237.2 47
- Dobrovolskaia, M.A., McNeil, S.E., 2007. Immunological properties of engineered nanomaterials. Nat. Nanotechnol. 2, 469–478. https://doi.org/10.1038/nnano.2007.22 3
- Doumas, B.T., Watson, W.A., Biggs, H.G., 1971. Albumin standards and the measurement of serum albumin with bromcresol green. Clin. Chim. Acta. 31, 87–96.
- Ebrahimi, M.R., Jafari Ahangari, Y., Zamiri, M.J., Akhlaghi, A., Atashi, H., 2012. Does preincubational in ovo injection of buffers or antioxidants improve the quality and hatchability in long-term stored eggs? Poult. Sci. 91, 2970–2976.

https://doi.org/10.3382/ps.2012-02246

El Basuini, M.F., El-Hais, A.M., Dawood, M.A.O., Abou-Zeid, A.E.-S., EL-Damrawy, S.Z., Khalafalla, M.M.E.-S., Koshio, S., Ishikawa, M., Dossou, S., 2017. Effects of dietary copper nanoparticles and vitamin C supplementations on growth performance, immune response and stress resistance of red sea bream, Pagrus major. Aquac. Nutr. 23, 1329– 1340. https://doi.org/10.1111/anu.12508

El Basuini, M.F., El-Hais, A.M., Dawood, M.A.O., Abou-Zeid, A.E.S., EL-Damrawy, S.Z., Khalafalla, M.M.E.S., Koshio, S., Ishikawa, M., Dossou, S., 2016. Effect of different levels of dietary copper nanoparticles sulfate and copper growth on performance, blood biochemical profiles, antioxidant status and immune response of red sea bream (Pagrus major). Aquaculture 455, 32-40.

https://doi.org/10.1016/j.aquaculture.2 016.01.007

Fathi, M., Haydari, M., Tanha, T., 2016. Effects of zinc oxide nanoparticles on antioxidant status, serum enzymes activities, biochemical parameters and performance in broiler chickens. J. Livest. Sci. Technol. 4, 7– 13.

https://doi.org/10.22103/JLST.2016.15 09

- Goel, A., Bhanja, S.K., Mehra, M., Pande, V., 2012. Does *In Ovo* Administration Of Zinc Or Iodine Modulate Differential Expression Of Growth And Immune Related Genes In, in: World Poultry Congress. Bahia, Brazil, pp. 1030–1034.
- Gopi, M., Pearlin, B., Kumar, R.D., Shanmathy, M., Prabakar, G., 2017. Role of Nanoparticles in Animal and Poultry Nutrition: Modes of Action and Applications in Formulating Feed Additives and Food Processing. Int. J. Pharmacol. 13, 724–731. https://doi.org/10.3923/ijp.2017.724.7 31
- Gottfried, S.P., Rosenberg, B., 1973. Improved manual spectrophotometric procedure for determination of serum triglycerides. Clin. Chem. 19, 1077–8.
- Henry, R.J., 1964. Clinical Chemistry:

### Nano-zinc – Poultry - *in ovo*-Hatchability - Bone quality

Principles and Techniques. Harper & Row, New York.

- Herrmann, W., Schütz, C., Reuter, W., 1983. [Determination of HDLcholesterol]. Z. Gesamte Inn. Med. 38, 17–22.
- Johnson, D.J., Djuh, Y.Y., Bruton, J., Williams, H.L., 1977. Improved colorimetric determination of serum zinc. Clin. Chem. 23, 1321–3.
- Jose, N., Elangovan, A. V., Awachat, V.B., Shet, D., Ghosh, J., David, C.G., 2018. Response of in ovo administration of zinc on egg hatchability and immune response of commercial broiler chicken. J. Anim. Physiol. Anim. Nutr. (Berl). 102, 591– 595. https://doi.org/10.1111/jpn.12777
- Joshua, P.P., Valli, C., Balakrishnan, V., 2016. Effect of in ovo supplementation of nano forms of zinc, copper, and selenium on post-hatch performance of broiler chicken. Vet. World 9, 287–294. https://doi.org/10.14202/vetworld.201 6.287-294
- Karthikeyan, N., Muthusamy, P., Raja, A., Vijayarani, K., Wilfred Ruban, S., Varun, C.A., 2017. Growth performance and carcass traits as influenced by dietary supplementation of zinc in broiler chicken. Int. J. Chem. Stud. IJCS 101, 101–105.
- Khalil, Z., Hassan, A., Asghar, B.A., Roghieh, A.A.K., 2013. Role of dietary nano-zinc oxide on growth performance and blood levels of mineral: A study on in Iranian angora (Markhoz) goat kids. J. Pharm. Heal. Sci. 2, 19–26.
- Kucharska-Gaca, J., Kowalska, E., Dębowska, M., 2017. In ovo Feeding – Technology of the Future – A Review. Ann. Anim. Sci. 17, 979–992. https://doi.org/https://doi.org/10.1515/

aoas-2017-0004

- Kumar, S.S., Venkateswarlu, P., Rao, V.R., Rao, G.N., 2013. Synthesis, characterization and optical properties of zinc oxide nanoparticles. Int. Nano Lett. 3, 30. https://doi.org/10.1186/2228-5326-3-30
- Liu, H.H., Wang, J.W., Chen, X., Zhang, R.P., Yu, H.Y., Jin, H.B., Li, Han, C.C., 2011. L., In ovo administration of rhIGF-1 to duck eggs affects the expression of myogenic transcription factors and muscle mass during late embryo development. J. Physiol. 111. 1789-1797. Appl. https://doi.org/10.1152/japplphysiol.00 551.2011
- Liu, Z.H., Lu, L., Wang, R.L., Lei, H.L., Li, S.F., Zhang, L.Y., Luo, X.G., 2015. Effects of supplemental zinc source and level on antioxidant ability and fat metabolism-related enzymes of broilers. Poult. Sci. 94, 2686–94. https://doi.org/10.3382/ps/pev251
- MacDonald, R.S., 2000. The Role of Zinc in Growth and Cell Proliferation. J. Nutr. 130, 1500S–1508S. https://doi.org/10.1093/jn/130.5.1500S
- Mehran, M.K., Ahmadi, F., Amanlou, H., 2015. Influence of dietary different levels of zinc oxide nano particles on the yield and quality carcass of broiler chickens during starter stage, The Indian journal of animal sciences.
- Mohammadi, F., Ahmadi, F., Andi, M.A., 2015. Effect of zinc oxide nanoparticles on carcass parameters, relative weight of digestive and lymphoid organs of broiler fed wet diet during the starter period. Int. J. Biosci. 6, 389–394.
- Ognik, K., Stępniowska, A., Cholewińska, E., Kozłowski, K., 2016. The effect of administration of

copper nanoparticles to chickens in drinking water on estimated intestinal absorption of iron, zinc, and calcium. Poult. Sci. 95, 2045–2051. https://doi.org/10.3382/ps/pew200

- Okada, M., Ishida, R., 2001. Direct Measurement of Low-Density-Lipoprotein Cholesterol Is More Effective Than Total Cholesterol for the Purpose of Lipoprotein Screening. Prev. Med. (Baltim). 32, 224–229. https://doi.org/10.1006/pmed.2000.080 5
- Oliveira, T.F.B., Bertechini, A.G., Bricka, R.M., Hester, P.Y., Kim, E.J., Gerard, P.D., Peebles, E.D., 2015a. Effects of in ovo injection of organic trace minerals and post-hatch holding time on broiler performance and bone characteristics. Poult. Sci. 94, 2677–2685.

https://doi.org/10.3382/ps/pev249

Oliveira, T.F.B., Bertechini, A.G., Bricka, R.M., Kim, E.J., Gerard, P.D., Peebles, E.D., 2015b. Effects of in ovo injection of organic zinc, manganese, and copper on the hatchability and bone parameters of broiler hatchlings. Poult. Sci. 94, 2488–2494.

https://doi.org/10.3382/ps/pev248

Olukosi, O.A., van Kuijk, S., Han, Y., 2018. Copper and zinc sources and levels of zinc inclusion influence growth performance, tissue trace mineral content, and carcass yield of broiler chickens. Poult. Sci. 97, 3891– 3898.

https://doi.org/10.3382/ps/pey247

Park, S.Y., Birkhold, S.G., Kubena, L.F., Nisbet, D.J., Ricke, S.C., 2004. Review on the Role of Dietary Zinc in Poultry Nutrition, Immunity, and Reproduction. Biol. Trace Elem. Res. 101, 147–164. https://doi.org/10.1385/BTER:101:2:1 47

Rashid, M.M., Honda, K., Nakai, T., Muroga, K., 1994. An Ecological Study on Edwardsiella tarda in Flounder Farms. Fish Pathol. 29, 221– 227.

https://doi.org/10.3147/jsfp.29.221

Reitman, S., Frankel, S., 1957. A Colorimetric Method for the Determination of Serum Glutamic Oxalacetic and Glutamic Pyruvic Transaminases. Am. J. Clin. Pathol. 28, 56–63.

https://doi.org/10.1093/ajcp/28.1.56

Rossi, P., Rutz, F., Anciuti, M.A., Rech, J.L., Zauk, N.H.F., 2007. Influence of graded levels of organic zinc on growth performance and carcass traits of broilers. J. Appl. Poult. Res. 16, 219–225.

https://doi.org/10.1093/japr/16.2.219

- Roto, S.M., Kwon, Y.M., Ricke, S.C., 2016. Applications of Ovo In Technique for the Optimal Development of the Gastrointestinal Tract and the Potential Influence on the Establishment of Its Microbiome in Poultry. Front. Vet. Sci. 3, 63. https://doi.org/10.3389/fvets.2016.000 63
- Roy, B., Baghel, R.P.S., Mohanty, T.K., Mondal, G., 2013. Zinc and Male Reproduction in Domestic Animals : A Review. Indian J. Anim. Nutr. 4, 339– 350.

https://doi.org/10.1016/j.jbusres.2016. 01.009

- Sahoo, A., Swain, R., Mishra, S.K., 2014a. Effect of inorganic, organic and nano zinc supplemented diets on bioavailability and immunity status of broilers. Int. J. Adv. Res. 2, 828–837.
- Sahoo, A., Swain, R.K., Mishra, S.K., Jena, B., 2014b. Serum biochemical

#### Nano-zinc – Poultry - in ovo-Hatchability - Bone quality

indices of broiler birds fed on inorganic, organic and nano zinc supplemented diets, Int. J. Recent Sci. Res.

- Sahraei, M., Janmmohamdi, H., Taghizadeh, A., Cheraghi, S., 2012. Effect of Different Zinc Sources on Tibia Bone Morphology and Ash Content of Broiler Chickens. Adv. Biol. Res. (Rennes). 6, 128–132. https://doi.org/10.5829/idosi.abr.2012. 6.3.65146
- Selim, S.A., Gaafar, K.M., El-ballal, S.S., 2012. Influence of in-ovo administration with vitamin E and ascorbic acid on the performance of Muscovy ducks. Emirates J. Food Agric. 24, 264–271.
- Sharma, V., Singh, P., Pandey, A.K., Dhawan, A., 2012. Induction of oxidative stress, DNA damage and apoptosis in mouse liver after subacute oral exposure to zinc oxide nanoparticles. Mutat. Res. Toxicol. Environ. Mutagen. 745, 84–91. https://doi.org/10.1016/j.mrgentox.201 1.12.009
- Sheoran, N., 2017. Organic Minerals in Poultry. Adv. Res. 12, 1–10. https://doi.org/10.9734/AIR/2017/378 78
- Sloup, V., Jankovská, I., Nechybová, S., Peřinková, P., Langrová, I., 2017. Zinc in the Animal Organism: A Review. Sci. Agric. Bohem. 48, 13–21. https://doi.org/10.1515/sab-2017-0003
- Smith, M.J., Brown, J.M., Zamboni, W.C., Walker, N.J., 2014. From Immunotoxicity to Nanotherapy: The Effects of Nanomaterials on the Immune System. Toxicol. Sci. 138, 249–255.

https://doi.org/10.1093/toxsci/kfu005

Sornplang, P., Leelavatcharamas, V., Soikum, C., 2015. Heterophil Phagocytic Activity Stimulated by Lactobacillus salivarius L61 and L55 Supplementation in Broilers with Salmonella Infection. Asian-Australasian J. Anim. Sci. 28, 1657–61. https://doi.org/10.5713/ajas.15.0359

- Star, L., van der Klis, J.D., Rapp, C., Ward, T.L., 2012. Bioavailability of organic and inorganic zinc sources in male broilers. Poult. Sci. 91, 3115– 3120. https://doi.org/10.3382/ps.2012-02314
- Sun, X., Lu, L., Liao, X., Zhang, L., Lin, X., Luo, X., Ma, Q., 2018. Effect of In Ovo Zinc Injection on the Embryonic Development and Epigenetics-Related Indices of Zinc-Deprived Broiler Breeder Eggs. Biol. Trace Elem. Res. 185, 456–464. https://doi.org/10.1007/s12011-018-1260-y
- Sunder, G.S., Kumar, C.V., Panda, A.K., Raju, M.V.L.N., Rao, S.V.R., 2013. Effect of Supplemental Organic Zn and Mn on Broiler Performance, Bone Measures, Tissue Mineral Uptake and Immune Response at 35 Days of Age. Curr. Res. Poult. Sci. 3, 1–11.

https://doi.org/10.3923/crpsaj.2013.1.1 1

Swain, P.S., Rao, S.B.N., Rajendran, D., Dominic, G., Selvaraju, S., 2016. Nano zinc, an alternative to conventional zinc as animal feed supplement: A review. Anim. Nutr. 2, 134–141.

https://doi.org/10.1016/J.ANINU.2016 .06.003

Tako, E., Ferket, P., Uni, Z., 2005. Changes in chicken intestinal zinc exporter mRNA expression and small intestinal functionality following intraamniotic zinc-methionine administration. J. Nutr. Biochem. 16,

```
339-346.
```

https://doi.org/10.1016/j.jnutbio.2005. 01.002

- Thulasi, A., D, R., Jash, S., Sellappan, Velusamy, Jose, L., S., S., Mathivanan, S., 2013. Nanobiotechnology Animal in Nutrition, in: K.T.Sampath, Jyotirmoy Ghosh, R.B. (Ed.), Animal Nutrition and Reproductive Physiology (Recent Concepts). Satish Serial Publishing house, New Delhi, pp. 499-516.
- Tomaszewska, Е., Muszyński, S., Dobrowolski, P., Kwiecień, M., Winiarska-Mieczan, A., Świetlicka, I., Wawrzyniak, A., Tomaszewska, E., Muszyński, S., Dobrowolski, P., Kwiecień, M., Winiarska-Mieczan, A., Świetlicka, I., Wawrzyniak, A., 2017. Effect of Zinc Level and Source (Zinc Oxide Vs. Zinc Glycine) on Bone Mechanical and Geometric Parameters, and Histomorphology in Male Ross 308 Broiler Chicken. Rev. Bras. Ciência Avícola 19, 159–170. https://doi.org/10.1590/1806-9061-2016-0285
- Torres, C.A., Korver, D.R., 2018. Influences of trace mineral nutrition and maternal flock age on broiler embryo bone development. Poult. Sci. 97, 2996–3003. https://doi.org/10.3382/ps/pey136
- Uniyal, S., Dutta, N., Raza, M., Jaiswal, S.K., Sahoo, J.K., Ashwin, K., 2017. Application of Nano Minerals in the Field of Animal Nutrition : A Review 6, 4–8.
- Vijayakumar, M.P., Balakrishnan, V., 2014. Effect of calcium phosphate nanoparticles supplementation on growth performance of broiler chicken. Indian J. Sci. Technol. 7, 1149–1154. https://doi.org/10.3978/j.issn.2078-6891.2014.066

- Wang, B., Feng, W., Wang, M., Wang, T., Gu, Y., Zhu, M., Ouyang, H., Shi, J., Zhang, F., Zhao, Y., Chai, Z., Wang, H., Wang, J., 2008. Acute toxicological impact of nano- and submicro-scaled zinc oxide powder on healthy adult mice. J. Nanoparticle Res. 10, 263–276. https://doi.org/10.1007/s11051-007-9245-3
- Wang, T., Long, X., Liu, Z., Cheng, Y., Yan, S., 2015. Effect of copper nanoparticles and copper sulphate on oxidation stress, cell apoptosis and immune responses in the intestines of juvenile Epinephelus coioides. Fish Shellfish Immunol. 44, 674–682. https://doi.org/10.1016/J.FSI.2015.03. 030
- Yair, R., Shahar, R., Uni, Z., 2013. Prenatal nutritional manipulation by in ovo enrichment influences bone structure, composition, and mechanical properties. J. Anim. Sci. 91, 2784– 2793. https://doi.org/10.2527/jas.2012-5548
- Yair, R., Uni, Z., 2011. Content and uptake of minerals in the yolk of broiler embryos during incubation and effect of nutrient enrichment. Poult. Sci. 90, 1523–1531. https://doi.org/10.3382/ps.2010-01283
- Yogesh, K., Deo, C., Shrivastava, H.P., Mandal, A.B., Wadhwa, A., Singh, I., 2013. Growth Performance, Carcass Yield, and Immune Competence of Broiler Chickens as Influenced by Dietary Supplemental Zinc Sources and Levels. Agric. Res. 2, 270–274. https://doi.org/10.1007/s40003-013-0067-5
- Zhang, T.Y., Liu, J.L., Zhang, J.L., Zhang, N., Yang, X., Qu, H.X., Xi, L., Han, J.C., 2018. Effects of Dietary Zinc Levels on the Growth

#### Nano-zinc – Poultry - in ovo-Hatchability - Bone quality

Performance, Organ Zinc Content, and Zinc Retention in Broiler Chickens. Brazilian J. Poult. Sci. 20, 127-132. 0052-2 https://doi.org/http://dx.doi.org/10.159 0/1806-9061-2017-0604.

Zhao, C.-Y., Tan, S.-X., Xiao, X.-Y., Qiu, X.-S., Pan, J.-Q., Tang, Z.-X., 2014. Effects of Dietary Zinc Oxide Nanoparticles on Growth Performance and Antioxidative Status in Broilers.

Biol. Trace Elem. Res. 160, 361-367. https://doi.org/10.1007/s12011-014-

Zolnik, B.S., González-Fernández, Á., Sadrieh, N., Dobrovolskaia, M.A., **2010.** Minireview: Nanoparticles and the Immune System. Endocrinology 151, 458-465. https://doi.org/10.1210/en.2009-1082

# الملخص العربى

تأثيرات إضافة النانو زنك قبل وبعد الفقس على أداء الفقس ، الإداء الانتاجي ، خصائص الذبيحة ، خصائص العظام والحالة الفسيولوجية لدجاج أنشاص.

سعد زغلول الدمراوى1 ، طلعت خضر الريس1 ، محمود حمزة الديب2 و إسلام عادل عبد الغنى1

قسم الانتاج الحيواني - كلية الزراعة - جامعة طُنطا - القاهرة

معهد بحوث الانتاج الحيواني – مركز البحوث الزراعية – الدقي - القاهرة

أجريت تجربتان لتقييم كفاءة إضافة النانو زنك قبل وبعد الفقس علي أداء الفقس ، الاداء الانتاجي ، خصائص الذبيحة ، خصائص العظام والحالة الفسيولوجية لدجاج أنشاص. في التجربة الاولى وعند عمر 18 يوم من بداية التفريخ تم اختيار 1020 بيضه مخصبه من سلالة انشاص وقسمت عشوائيا الى 4 مجموعات تجريبية ، قسمت داخليا الى 3 مكررات بكل منها 85 بيضه وحقنت جميها بالنانو زنك بتركيزات ( صفر ، 60 ، 80 ، 100 ميكروجرام/بيضه). أظهرت النتائج أن تغذية الأجنة داخل البيض بالمستويات المختلفة من نانو أكسيد الزنك لم يكن لها تأثيرات معنوية على وزن الكَنَّكوت عند الفقس. علاوة على ذلك فان حقن الاجنة بمستوي 60 ميكروجرام /بيضه لم يكن له تأثير سلبي على نسبة الفقس.

في التجربة الثانية ، تم تغذية 480 كتكوتاً عمر يوم واحد غير مجنسه ناتجة من التجربة الأولى ذات وزن اولى قدره 33.64 ± 0.98 جرام على عليقة تحتوي على مستويين من نانو أكسيد الزنك (0 أو 30 مجم / كجم). بين التداخل بين اضافة النانو زنكُ قبلٌ وبعد الفقس تَأثيرا معنويا في كلا من وزن الجسم النهائي ، معدل الزيادة في وزن الجسم ، العلف المستهلك ، الكفاءة التحويلية على عمر 10 أسابيع من بداية التجربة الثانية. و حققت الطيور التي لم تعامل بالنانو زنك قبل وبعد الفقس (الكنترول) أقلَّ المعدلات.

حققت الطيور المعاملة بمعدل 100 ميكروجرام/ بيضه من نانو اكسيد الزنك اعلى وزن نسبي للطحال ، كما لوحظ أن الطيور التي تغذت على عليقة مزودة بالنانو زنك بمعدل 30 مجم /كجم عليقة وحقنت أجنتها داخل البيض بمعدل 100 ميكروجرام/ بيضه أعلى محتوى من الزنك في عضلات الصدر.

زاد محتوى الرماد في عظم الساق مع زيادة مستوي النانو زنك في العلائق وفي الوقت نفسه زاد تركيز الزنك والفسفور في عظمة الساق مع زيادة محتوي العليقة من النانو زنك وزيادة معدل الزنك المحقون في الاجنة. وأظهرت الكتاكيت التي تغذت على النانو زنك بمعدل 30 مجم/كجم عليقه أعلى القيم لطول عظمة الساق ، وسمكها عندما غذيت أجنتها على 100 ميكروجرام/بيضه، بينما حققت الطيور التي غذيت أجنتها على 60 ميكروجرام/ بيضه أعلى قوة لعظمة الساق

لم يكن لحقن الأجنة داخل البيض بالنانو زنك اي أثر معنوي على القياسات البيوكيميائية لسيرم الدم. بينما حدث زيادة معنوية في تركيز كلا من البروتين الكلي ، الالبيومين ،انزيمات الكبد والكولسترول عالى الكثافة ومحتوى السيرم من الزنك بزيادة مستوي الزنك في العليقة وكان ذلك متبوعا بانخفاض تركيز الكوليسترول منخفض الكثافة. كما لوحظ أن أعلى نشاط للخلايا البلعمية في الكتاكيت التي تغذت على 30 مجم / كجم والتي غذيت اجنتها داخل البيضه على المستويات المختلفة من النانو زنك.