EFFECTS OF OPENING THE FIRST PHASE OF CAIRO METRO REGIONAL LINE ON MODAL SPLIT RATIOS AT DIFFERENT STATIONS

دراحة تأشيرات اهتداح العرطة الأوّلي للنظ الاقليمي لعنزو انفسلميساق الفاهرة على سبب شورسع الرحلات على وسائل النقل محمد العمدةاب المحتلفسة للمشلمينيون

Βv

Dr. Ahmed E.T. Abd Elmegeed Assistant Prof., Faculty of Engineering, Cairo University. Dr. El Sayed Abdel-Azim M. Shawaly Assistant Prof., Faculty of Engineering, Mansoura University.

الخلاقة - أن المرق الرئيسي من هذا البحث هو بحديد البعيرات التي طرأب على سيسبب بالمنكل البعل البحلفة (نموذج بوزيع الرحلات) عند معطات مترو الانتسبسيال المصلفة بدا من طوان وحين رميس إستارك أودنك بعد السياح المرحلة الأرلي لفيسنة المنتروع في أكتوبر ١٩٨٧ ، ونعسر السياح المنطقة بعدة السعيرات دات أهمة بالمنسبة في اعادة تعطيم سادمن معطات المصرو ، وقد ثم العندام سامنهما المدابي عسيست كل بحطة منزو بعد الامتباح عوالي بنت أحر وقورت بدائج فدا الاستهما المدابي عسيست ملك الاحتباح وقد أومنت السياح أن ودائل عديدة طغرت ليوصيل ويقن الركات عد محطلات المسرو ولم تكن موجودة من قبل بالاماقة إلي الودائل المصادة ولكنها بذارك سميت محطلات المناق المناق وقد أوقد أو المرقب مداود خين الأن ، كما وقد أو كثيرا من الركات الدس اعتادوا استخدام الاحوسي أو المرقب محدود كوسنة للومول الي بداؤ ومن من الركات المناق المناق المناق المرتب المرتب المرتب المناق المناق المناق المناق المناق المناق موائل المعادة أطهرت المنائب المناق معد المناق المناق معود بالفيسية المناق الم

I. ABSTRACT The purpose of this paper is to assess the changes in model split raties at different metro stations from Helwan to Ramsis (Mooarak) station after opening of the new metro line (first phase) in October, 1987. Information concerning these changes are important for replanning the stations forecourt—areas. Therefore, a survey has been carried out at each station after the opening by approximately six months. The results of the survey were compared with those obtained from a survey undertaken prior to thopening of the new metro line. The results indicate that in addition to walking, bus, a shared taxis as access/egress modes, other modes started to appear at many stations although the sbare of these modes is limited. Another binding shows that at some stations, the generic who used to take buses and shared taxis as access/egress modes to/from the mestarted to discard the metro and use one direct mode from their origin to their destination without using the metro. The reason is because of the high tarrif accompanied the option of the metro. The results show that feeders to metro stations should be provided to at more passengers and care should be given to elderly and handicapped passengers when confronted with difficulties when using the metro.



II BACKGROUND

Cairo as a large city is suffering from acute traffic problems. Population of Greater Cairo is estimated as 12 million inhabitants. It is expected that by the year 2000, approximately 19 million inhabitants will be living in the Greater Cairo area. In such highly populated cities, mass transit can be considered as an effective solution for traffic problems. Introducing such service usually offers benefits to both captive passengers to public transport and private car users. Moreover, mass transit offers remarkable benefits to the society such as saving energy, offering less pollution and noise than cars (1). In October, 1987, the first phase of the new Cairo Metro Regional line (CMRL) has been completed and the metro started its service from Helman to Ramsis (Mobarak) Square. A considerable change in the travel behaviour is expected and it may take some time until these travel patterns will get established. Accordingly, the public transport operators should respond to these expected new travel patterns. This can be achieved through coordination between their fleets and the metro. Therefore, inthe beginning of 1987, the Transport Planning Authority (TPA) engaged the Development Research and Technological Planning Center in association with Societé Francaise d'Etudes et de Reallsations de Transports Urbains (SOFRETU) to study the effects of the metro on other modes. As a part of that study (2), the model split ratios were estimated according to a survey performed in April, 1987 at the existing stations. The purpose of this survey was to establish modal split ratios for passengers arriving and leaving from metro stations. These information are of a great value in replanning the forecourt areas.

It should be mentioned that the survey undertaken in this research has covered all other stations which were not included in the previous study. The previous survey did not consider stations such as Helwan, Syeda Zeinab, Saad Zainhoul, Tahrir (Sadat), 26 th July (Guina, Abd EL Naser, Ahmed Crahi and Raimsis (Liebarak) (Figure 1) which were not operating at that time. For example, the last 5 stations are underground and the construction work was going on during the previous survey. Also, the infrastructure of the first two stations were under construction and at that time the metro was working only from Am Helwan to Abii El Rish (the closest place to sayeda Zeinab), see Figure (1).

Survey procedures data collection, data analysis, conclusions and recommendations are discussed in the following sections.

IN SURVEY PROCEDURES

To accomplish mocal split survey, some procedures were required:

- a. Design of the Interview Form
- b. Manpower and Resources Requirements.
- C. Time of the Survey Execution
- d. Excution of the Survey.

III.I. Interview Form Cesign

The survey form was specifically designed in order to include all relevant data contained in the previous survey form as well as some important information covering the economic status of passengers. In addition, the form comprises different motivations that urge the passengers to use the metro instead of other competing transpert modes.

Trials have been made until the final survey form was established. Thus, most required information were included in the revised form as shown in Appendix (1).

III.2. Manpower and Resources Requirements.

According to the sample size selected in the Metro Interchange Coordination Study (2), the minimum sample size which is based on the assumed different significant levels and sample error was estimated as 96 interviewees at each metro station. To ensure reliable

Its at all metro stations considered in the survey, the number of interviewees at each a was significantly greater than the required sample size especially at big stations with the volumes: Helwan, Maadi and Mobarak.

Based on the average productivity of the interviewer, the manpower-hour required was estimated. From the pilot survey performed prior to the formal survey, it was found that the average productivity per each interviewer is ranging from 20-30 interviewees. Thus, approximately, five man-hours will be needed at each station to collect information from 100 persons on the average. Although this number would be sufficient, much more passengers were interviewed as mentioned above, particularly at the heavily trafficked stations.

The total manpower required for the survey performance at all 21 stations was estimated with at least 105 man-hours. However, due to the big stations, more than 120 man-hours were employed. The manpower employed in this survey were 20 persons in order to satisfy the sample size requirement at each station.

Table (1) shows the number of interviewers, interviewees and the duration of the survey at each station.

III.3. Time of the Survey Execution

The modal split survey was conducted on normal working days. The first stage was undertaken on Monday and Tuesday 28, and 29/3/88. Two weeks later, the second stage was performed on 13 and 14/4/1988, interviews at all metro stations were, thus, conducted on these days. It is worthy to mention that this survey was undertaken prior to the student's summer vacation and the beginning of the Ramadan month. It is essential to get reliable data by including the student population who represents a significant portion in peak traffic periods. During the month of Ramadan travel times change considerably at many work places and this affects the results. So, the chosen dates were suitable for obtaining reliable results which fairly can be compared with the results of the previous survey.

As a result of the limited time and number of interviewers available, the modal split survey was performed at both morning and afternoon peak tours (from 7:30 to 9:30 A.M and from 1:30 to 9:30 P.M)

It should be inentioned that at some stations, when the survey was conducted towards the end of the peak period, the volume of passingers was not enough which demanded more time than usual to satisfy the required sample size (e.g. Tura EL-Asment at 4:30 P.M.).

III.4. Execution of the Survey

As observed from the preceding sections, the survey was carried out in two stages. Each stage involved two days and the survey was performed during both the morning and afternoon peak periods.

Prior to the actual survey, the interviewers were instructed how to fill in the interview form correctly, how to draw the passengers attention to the importance of giving the right information and not to stop those passengers who are in a hurry or persons who had been interviewed before.

The interviewers were divided into two groups and the authors of this paper were appointed as supervisors to direct the groups during survey performance. According to the directional distribution split of the metro, the supervisors assigned the appropriate number of interviewers between the two directions of movement leag. CBD inwards or outwards).

After interviewing the required number of passengers at each metro station, the group accompanied by its supervisor moved to the next station and continued the survey and so on until the end of the peak period. It is worth mentioning that not more than 10 minutes were lost during the movement from one metro station to another since in all cases the groups were always transferred to the nearby station. Thus the transfer time was kept at minimum. The interview forms collected by the supervisors between the peak periods were examined as to check and realize any deficiency or drawback in performing

the survey at the next stations. Appropriate instructions were given by the supervisors before the next peak period survey started.

IV. Data Analysis

After collection of the filled forms, the data analysis commenced using the computer. A code number was given to each column in the interview form, except for place of origin and destination which were not within the scope of this research. However, they can be included for further use if needed. After editing the coded data to the computer, the data were ready for analysis. LOTUS 1-2-3 package (3), which include data base, can be used effectively to get any desired information.

V. Discussion of Results

Tables (2) and (3) present different modal split ratios as estimated in reference (2) before opening of the new metro line (first phase. The first table exhibits the results of different access modes for persons approaching the stations, while table (3) presents the results of egress modes for leaving passengers. The results of modal split ratios for different access/egress modes after opening of the new metro lines are presented in Tables (4) and (5).

From the tables, the following remarks can be concluded

- a) In general, people are encouraged to use other access/egress modes to reach/leave stations. For example, before opening of the new metro line, the dominant modes were a walking, bus, and shared taxi. After opening, other modes such as car, taxi, light rail and kiss & ride started to appear although they still have only small proportions in comparison with other commant modes (i.e. walking, bus and shared taxi).
- b) The pattern started to change to some extent at those stations in which all passengers (160%) reach/leave walking. For example, at EL-Maasara, Tura EL-Asment, Kozzika, Tura EL-Balad and Hadayele EL-Maadi 100% of passengers were arriving walking. After opening, the pattern slightly changed and some conversion has occurred to other access modes.

At these stations, most of the passengers recorded that they are captive to the metro and they arrive/leave the stations walking. The reason for this captivity remains in the fact that the metro line at these stations is very far from Chornish street where the bus lines are operating. Therefore, passengers at these stations face difficulties in getting buses.

The following discusses the modal split ratios for each station:

1) Helwan Station

The station was under construction before opening of the new metro line (first phase). Therefore, the station, was not included in the previous survey. In the present survey, walking, but and shared taxi showed to dominate over all other modes showing that other access/egress modes such as taxi, cor, rail still have small effect.

2) Ain Helwan Station

In the previous survey, the results showed that high ratios of trips were made by bus mode. They represented /1% and 25% of trips for access and egress modes respectively which decreased to be 4% and 3% after opening of the new metro line. The reason for this remarkable conversion is that the metro was not operating between Helwan and Ain Helwan during the previous survey. The CTA was operating a shuttle bus to get passangers from Helwan to Ain Helwan and vice versa which showed great proportions of trips made by bises as access/egress mode.

3) Wadi Hof Station

The results revealed that shared taxi as an egress mode started to play an important role among the other modes.

v) Maasara, Tura EL-Asinent, Kozzika and Tura EL-Balad Stations.

The pattern of 100% walking as an access mode in these stations started to change after opening of the new metro line (first phase). Other access modes started to appear although they have small proportions of passengers. For egress modes, the stations still depend mainly on walking because of the lack of feeders at these stations.

3) Sakanar EL-Maadi Station

As seen from the tables, a reduction has occurred in using buses and shared taxi as access or egress modes. For example, the percentages of bus and shared taxi users decreased from 21% and 58% to 4% and 9.5% as access modes while they decreased from 5% and 8% to 2% and 5% as egress modes respectively. The significant drop in using shared taxi led to the examination of this phenomenon. The examination revealed that before opening of the new metro line (first phase), shared taxis were used as collective mode from surrounding areas (such as Degla, ..., ect) to Sakanat station, and then passengers were using the metro to reach ... their destinations in the CBD. The costs for a trip at that time were estimated to be 15 plasters (10 for shared taxi + 5 plasters for the metro). After opening of the new inetro line, the costs increased to be 55 plasters (15 for shared taxi + 40 plasters for the metro) to reach to the CBD. This relatively high cost would make people not to use the metro, but other modes such as buses, minibuses, and shared taxis to reach their destinations. By using these modes, the passengers give the fare priority in their decision to use or not use the metro than other factors. This is different at other places (4) where waiting time was given the priority.

6) Maadi Station

At Maadi station, other modes such as car, taxi, and kiss & rice started to appear. However, as the volumes show, the use of these modes is still limited. On the other side, the use of bus and shared taxi started to decline for the reasons mentioned above.

7) Hadayek EL-Maadi Station

As seen from the tables, 100% of passengers at this station were arriving/leaving the station walking prior to the opening of the new metro line (first phase). After opening, also other access/egress modes such as bus and shared taxi were used. Shared taxi users represented 10% of all passengers arriving at the station. Better forecourt area planning is needed to provide accommodations for feeding buses and shared taxis.

9) EL-Zahraa Station

In addition to walking and bus modes, other modes showed up such as shared taxis and kiss & ride. However, the bus passengers arriving / leaving the station decreased from 36% and 38% before opening to 16% and 11.5% after opening. The reason is that before opening the new metro line (first phase), the old metro line was operating only from Bab EL-Luk (near Tahrir) to Helwan. Therefore, the passengers having their origin before Bab EL-Luk (for example Ramsis square) and destination in Helwan were using buses from Ramsis Square to catch the metro at the closest bus stops (such as EL-Zahraa and Mari Gerges). These passengers form a great percentage since Ramsis square can be considered as a

big collective place from the northern part of Cairo. After opening of the new metro line (first phase), the metro started the service from Ramsis Square which offered to those passengers a direct ride from Helwan to Ramsis Square without the need for buses. Consequently, the arriving/leaving bus passengers decreased at these stations.

10) Mari Gerges

Beside walking and bus modes for arriving passengers, all other modes except light rail started to appear. The decrease in bus passengers can be seen from the tables and the reasons are mentioned above. For leaving passengers, the status did not change.

11) EL-Malek EL-Saleh Station

For arriving passengers, a significant change is seen between walking and bus modes. Conversion of passengers between the two modes can be noticed from the tables in which bus passengers decreased from 41% before opening to 20% after opening of the new metro line. However, for leaving passengers, other modes beside walking and bus started to appear. This station is considered as a big transfer point for Giza and EL-Haram passengers. After opening and the metro fare increase, bus passengers who used to take the metro from this station were seeking other direct modes such as buses and shared taxis which are relatively less expensine.

12) EL-Sayeda Zeinab Station

For arriving passengers, bus passengers ratio did not change. A great drop appeared in light rail passengers from 12% before opening to only 1% after opening. For leaving passengers, walking passengers increased and shared taxi appeared.

13) The Remaining Station

The remaining stations such as Saad Zaghioul, Anwar EL-Sadat, Gamal Abd EL-Naser, Ahmed Orabi and Hosni Mobarak exhibit less proportion of walking and most of the other access/egress modes are used.

VI. CONCLUSIONS

The main findings of this research work are summarised as follows:

- In The results of a survey conducted before opening the new metro line (first phase) show that a lew modes were used in getting the passengers to metro stations. Such modes were: walking, buses and shared taxis. After opening, some other access/egress modes started to appear at many stations such as taxis, cars, kiss&ride and rail. However, the obtained results indicate that the share of these new modes, particularly if compared with walking, bus and shared taxi, is limited. The reasons can be referred to one of the following:
- a) The most important and controlling factor is the tariff. For example from Helwan to Mobarak, the metro fare is almost 5 times the bus fare. This caused passengers to change from metro to other modes such as buses, minibuses and shared taxis in spite of comfort and time saving attained by use of the metro.
- b) The forecourt areas at many stations are not well planned. More car owners may be attracted to the metro if parking places are provided at metro stations.
- c) The lack of feeders to metro stations especially at Maasara, Tura EL-Asment, Kotzzika and Tura EL-Balad. Most of the passengers mentioned that they are captive to the metro, although most of them declared that the walking distance is more than one kilometer. If the access roads to these stations are properly paved, more passengers will be attracted and other access/egress modes will appear.

- d) In designing the metro stations, care has not been given to elderly or handicapped passengers who are confronted with difficulties using the metro and climbing stairs up and down. Electrical escalators, for example, are not found anywhere. For this group of passengers suitable services should be provided to reach the metro.
- 2- The stations with 100% walking started to have some other access/egress modes. This occurred at Maasara, Twa EL-Asment, Tura EL-Balad and Hadayek EL-Maadi
- 3- The most striking notice was found at Sakanat El-Maadi and Maadi stations in which the use of shared taxi decreased after opening of the new metro line (first phase). Checking this phenomeron: led to the lact that those passengers who already used shared taxis as an access/egress mode before opening of the new metro line started to change their trip pattern after the opening which has been caused by the high metro lare. They preferred to get one direct mode from their origins surrounding these metro stations to reach to their destinations in the CBD.

VIJ RECOMMENDATIONS

CMRL is a large investment. The policies should be directed to encourge the people to use the metro, especially in Cairo with its highly populated areas. Therefore, the results of this research work lead to the following recommendation:

- 1- The most important factor for attracting people to use the metro is the tariff. The present tariff of the metro is almost 3 times of the buses running parellel to the metro. Therefore, The coordination study made by DRTPC (2) should be applied as soon as possible.
- 2- The forecourt areas should be well planned, particularly those of large stations to attract car users to the metro and to provide waiting places for feeding buses and shared taxis.
- 3- The roads to different metro stations should be paved. This will encourage shared taxis and buses to work as feeders instead of their current role as competitive modes.
- 4- Some more care should be given to elderly and handicapped people who are faced with difficulties in reaching the metro itself at different stations.

VIII. ACKNOWLEDGEMENT

The authors thank the Transport Planning Authority (TPA) for the partial financial support which enabled the surveys. They thank Eng. Moukhtar Hassan for his cooperation and assistance during this research. Any views mentioned in the course of this research express only the authors' views.

VIII REFERENCES

- I- H. Holzapiel, "High-Speed Systems of public Transport-A Positive Trend?", PTRC. 10th Summer Annual Meeting, July, 1982.
- 2- DRTPC, and SOFERTU, "Cairo Metro Interchange Coordination Study", Final Report, December, 1987.
- 3- Alan Simpson, "The Best Book of (OTUS 1-2-3), 1983.
- 4- Wormald, Caacas, and Osuna, "User Views on Levels of Service", PTRC, 10 the summer Annual Meeting, July, 1982.




FIG. 2': REGIONAL METRO LINE HELWAN-EL MARC.

Source: Cairo Metro Interchange Study.

	AUTHORITY
TRANSPOR	PLANNING
MINISTRY OF TRANSPORT	TRANSPORT PLANNING AUTHORITY

Mansour	4 Engineering 3	oumal (MI	23) Vol. 14, No	. I. June 1989	C.91	
	Family Sized Income	Month		:(
	Who Pays for the Pass?	r pe basse				
ة		Ticker [·		
	Ç 367	No.				
	o you own a	Acs D				
From:	c trobefore?					<u> </u>
Time	orly ogy on born					
Ţ.	ere you accost-	·\				
	Reasons for Using the Metro	JasT Zhens	-			
	the Nerro	Close to				
	the charged and the charged an	Somforta Comforta Composito				
	<u>z</u>	Cheap				
	leira Frequently	N oN	1			
	ays asn nak o					
	Trip Purpose	\$ 13(110)				
	na d	Educa <u>ino</u> Socia)			, -	
	L	410 <i>'ll</i>		l		
		Private C L'Kiss&lkide				
ט ארני	λβ th	ix∃T m e 1T				·
107.1	from Metro S	eud Spared				
סל דמופגעופאניג		gnikla'i/				
Nage	Destinate of the	q i L				
		nird a t M				
	# 18 ₂	Private K <i>iss&Bid</i> i				
	Access Mode	 ₽7 8 7T				\ <u>-</u>
	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	– − 300 E:_Shared_:a ixe⊤				
<u>≅</u>	¥	אַפואנוטנּ	- .			
Slation	nairst2	Вовголь			(<u> </u>
Metro Stations	Crigin	Trp		,		
	NUNBER	ZERIVE	_	8	~	J

Number of Interviewers and Interviewees at each Metro Station

Station No.	Date of Survey	Station Name		ey atjon Min	Number of Interviewers	Number of Interviewees
I	13/4 A.M	Helwan	ι	15	11	29 2
2	13/4 A.M	Ain Helwan		45	6	217
3	13/4 P.M	₩adi Hol		30	5	149
4	13/4 A.M	Hadaek Helwan	l	30	6	164
5	14/4 A.M	Massara	ı	30	5	188
6	14/4 A.M	Tura El-Asment	ı	٥٥	6	165
7	14/4 A.M	Katsika	1	00	5	163
8	13/4 P.M	Tura El-Balad	ì	٥٥	6	122
9	13/4 A.M	Sakanat El-Maadi	i	30	10	23.5
10	29/3 P.M	El-Maadi (I)	1	00	10	409
	13/4 A.M	El-Maadi (2)			6	
11	29/3 P.M	Hadayk El-Maedi		20	10	112
12	28/3 P.M	Dar El-Salam		50	10	269
13	14/4 P.M	El-Zahraa	i	00	6	189
14	29/3 A.M	Mary Gerges		30	10	134
15	29/3 A.M	El-Malek El-Sale	h	40	10	190
16	28/3 P.M	Sayyeda Zainab		50	.10	212
17	14/4 P.M	Saad Zaghlou!	l	30	.6	176
18	28/3 P.M	Sacat		50	10	235
19	14/3 P.M	Gamel Abdel-Nas	sr.	30	6	(04
20	14/3 P.M	Orabi		30	6	102
21	29/3 A.M	Mobarak	I	۵٥	10	246
Total		-				3893

TABLE (2)

MODAL SPLIT RATIOS AT DIFFERENT STATIONS BEFORE OPENING
FOR PASSENGERS COMING TO THE STATIONS

	MODES									
STATION	WALKING	BUS	SHARED TAXE	TAXI	CAR	RAIL	KISS & RID			
HELWAN										
AIN HELWAN	29	71	,							
WADI HOT	70	10	, 10		10					
HADAYK HELWAN	62		14	ļ						
MAASARA	100			·						
TURA ESMENT	001									
KOTSIKA	100	•								
TURA BALAD	100									
THAKANAT	21	2'	58							
MAADI	47	16	37							
HADAYK MAADI	נטט			ļ						
DAR ELSALAM	80	4	11		ر ا					
ZAHRAA	64	36]			
MARY GERGES	75	25								
MALEK SALEH	50	41	4.5		4.5					
SAYEDA ZEINAB	57	26	6			12				
SAAD ZAGHLQUL	J									
SADAT										
GAMAL ANDELINAS	SR					•				
ORABI										
MOBARAK										

TABLE (3) MODAL SPLIT RATIOS AT DIFFERENT STATIONS BEFORS OPERNING FOR PASSENGERS LEAVING THE STATIONS

STATION	MODES								
	WALKING	SUA	SHARED TAXI	TAXI	CAR	RAIL	KISS & RIDE		
HELWAN				ļ					
AIN HELWAN	66	25	9	{	\				
WADI HOF	97	3	,						
HADAYK HELWAN	86) tı		}					
MAASARA	89	1 f		}		}	1		
TURA ESMENT	87	13				ļ			
KOTSIKA	100								
TURA BALAD	83	17							
THAKANAT	87	5	8						
MAADI	78	11	11		}		1		
HADAYK MAADI	100	l	Ì	1	1				
DAR ELSALAM	02		26						
ZAHRAA	62	38							
MARY GERGES	67	33		}					
MALEK SALEH	85	15		}					
SAYEDA ZEINAB	40	52		9					
SAAD ZAGHLOUL									
SADAT									
GAMAL ABDEL-NAS	SR								
ORABI									
MOBARAK									

MODAL SPLIT RATIOS AT DIFFERENT STATIONS AFTER OPENING
FOR PASSENGERS COMING TO THE STATIONS

STATION	MODES						
214110%	WALKING	BUS	SHARED TAXI	TAXI	CAR	RAIL	KISS & RIDE
HELWAN	53	18.5	22	4	ı	0.5	0.5
AIN HELWAN	91	4			I	4	
WADI HOF	94	I	2.5		1	1.5	
HADAYK HELWAN	97		3			ı	ļ
MAASAR 4	99	ι					
TURA ESMENT	90	5	2.5				2.5
KOTSIKA	96	2	}			ļ	1
TURA BALAD	94	3	1				2
THAKANAT	82	ij.	5.5	0.5	ı	2.5	0.5
MAADI	70	4	17		0.5	5	3.5
HADAYK MAADI	86	3	10		ļ		l
DAR ELSALAM	91	1.5	4	0.5	2		l
TAHRAA	72	16	6				6
MARY GERGES	83	6	2.5	0.5	ι		6
MALEK SALEH	68	20	3	1	1	}	7
SAYEDA TEINAB	67	26	3	1	ı		2
SAAD ZAGHLOUL	91	6	2.5				2.5
SADAT	69	23.5	1;	2	0.5		1
GAMAL ABDEL-NASR	88.5	4.5	2	2.5			2.5
CRAIM	59	28	S	ı			4
MOBARAK	35	28	10	5	9	ı	12

C. 96 A.E.T. Abd Elmegeed and El Sayed M. Shawaly

TABLE (5)

MODAL SPLIT RATIOS AT DIFFERENT STATIONS AFTER OPENING
FOR PASSENGERS LEAVING THE STATIONS

STATION		MODES .							
_	WALKING	BUS	SHARED TAXI	TAXI	CAR	RAIL	KISS & RIDE		
HEL WAN	67	13.5	18	0.5	1	ı	l		
AIN HELWAN	92	3	1.5		3		0.5		
WADI HOF	75	3	20.5		1.5				
HADAYK HELWAN	86.5	3.5	9 .	I					
MAASARA	98.5	0.5	ı		}				
TURA ESMENT	100								
KOTSIKA	26	2							
TURA BALAD	99	1							
THAKANT	89	2	5	2	2				
MAADI	78	4.5	15.5	1	0.5		0.5		
HADAYK MAADI	92	5	2		0.5		0.5		
DAR ELSALAM	\$2	3.5	دا	0.5	0.5		0.5		
ZAHRAA	86.5	11.5	1.5		0.5				
MARY GERGES	92	8							
MALEK SALEH	73.5	20	4.5	2	1	ľ			
SAYEDA ZEINAB	68	27	2				1		
SAAD ZAGHLOUL	93	4	ı	ι	1		·		
5A D AT	62	31	4	2	1				
SAMAL	70	22	7		1	1			
ORABI	61	36	3						
MOBARAK	36	33	13	4	5		7		