

Benefits of chia seeds as a replacement of eggs in making bakery products for vegetarians suffering from osteoporosis and its impact on final product quality



Dr. Thnaa M. H. Gouda

Assist Prof of Food science and nutrition,
Home Economics Department, Faculty of
Specific Education, Fayoum University,
P. O.63514, Fayoum, Egypt
drthnaa@yahoo.com

المجلة العلمية المحكمة لدراسات وبحوث التربية النوعية

المجلد التاسع - العدد الثالث - مسلسل العدد (٢١) - يوليو ٢٠٢٣

رقم الإيداع بدار الكتب ٢٤٢٧٤ لسنة ٢٠١٦

ISSN-Print: 2356-8690 ISSN-Online: 2974-4423

موقع المجلة عبر بنك المعرفة المصري <https://jsezu.journals.ekb.eg>

JSROSE@foe.zu.edu.eg

البريد الإلكتروني للمجلة E-mail

Benefits of chia seeds as a replacement of eggs in making bakery products for vegetarians suffering from osteoporosis and its impact on final product quality

Dr. Thnaa M. H. Gouda

Assist Prof of Food science and nutrition, Home Economics Department,
Faculty of Specific Education, Fayoum University, P. O.63514, Fayoum,
Egypt
drthnaa@yahoo.com

Abstract:

Food alternatives are considered as the best choice of making a good diet. It includes carbohydrates, proteins, fats and calories. Chia seeds are one of the food alternatives, used as a replacer of eggs in food industry applications, because of its rich in omega-3 and omega-6, dietary fiber, ash, proteins, minerals, phytochemicals and a good source of calcium. It is an important component of the diet because of its chemical, nutritional and technological properties. It protects from obesity, osteoporosis, hypertension, Glutein allergy, cardiovascular diseases, cancer and diabetes. This research carried out to benefit from chia seeds as a replacer of eggs in making bakery products for vegetarians suffering from osteoporosis and its impact on final product quality. Cake, biscuit and pan cake were made by replacement eggs with 25% Chia seeds. Sensory evaluation results showed that no significant difference in taste, color, smell and overall acceptability (5, 4.86 and 4.66) compared to control samples (4.98, 4.92 and 4.92). Chemical composition results of chia seeds appeared a good source of boron, proteins, fiber, magnesium, calcium, potassium and phosphorus respectively, (1.116, 17.55, 32.82, 363.71, 621.81, 656.53 and 854.75), vitamins and antioxidants.

Conclusion: Chia seeds could be used as a replacer to egg in cake, pan cake, biscuit for vegetarian people suffering from osteoporosis, because of its content of proteins, fiber, calcium, phosphorus, boron, magnesium and antioxidants.

Key words: Chia seeds, nutritional value, food alternatives, osteoporosis.

Introduction

Food alternatives are used for several purposes to improve nutritional value for vegetarian (**Liz Grauerholz and Nicole Owens, 2015 & Vegetarianism, 2016**). Food industry development for obese, high cholesterol, diabetic patients and individual's allergy "of" by using eggs in baking, also Chia seeds can be used as an eggs replacer or a new ingredient into gluten free breads to increase the nutritional value (**Korus et al, 2012**). Chia is an annual herb in the mint family Labiatae growing in Laitin and South America, Mexico, Guatemala, and Argentina, it

represents the second main crop after beans and used in the preparation of folk medicines and food (**Ixtaina et al., 2011 & Arctos Specimen Database, 2018**), it is a rich source of vitamins A, C, E, and B complex as thiamine, riboflavin, niacin, folic acid, ascorbic acid, 35% fiber, 37-45% carbohydrates, 31-34% fat, ash 4-5%, 15 to 25% higher proteins than wheat, corn, rice, oat, barley and amaranth protein, in addition a good source of omega 3 and 6 (**da Silva et al., 2017 & Fortino et al., 2017**), amino acids essential as leucine, lysine, isoleucine and valine (**Sandoval-Oliveros and Paredes-L'opez, 2013; Marineli et al., 2014**) and polyphenolic antioxidants as tocopherol, sterols, carotenoids, phenolic compounds, chlorogenic, caffeic acid, quercetin, myricetin, and kaempferol which protects against cardiovascular diseases, immunodeficiency, heart disease strokes and some types of cancers. (**Marcinek and Krejpcio, 2017**), increased the Interest by using the natural antioxidants as Chia seeds especially in bakery products as a replacement to the synthetic antioxidants because of its effects toxigenic, mutagenic and carcinogenic (**Guiotto et al, 2013 & Ellulu, 2017**) for example, using flax seeds and Chia seeds as an egg replacers in pumpkin pie, the results were acceptable in taste and texture compared to control sample (**April Sansevieri et al, 2018**) to increase nutritional value and make new bakery products as a functional foods (**Ahmet Dinçoğlu and Özge Yeşildemir, 2019**) or therapeutic foods (**Youseff et al, 2014**) or snack as biscuits and storage of biscuits (**Barrientos et al, 2012 & Divyashree et al, 2016**), cookies and pies (**George Inglett et al, 2014 & Ullah, M et al, 2016**), Pasta (**Oliveira et al, 2015**) and bread (**Hrušková and Švec, 2015**), also Chia seeds used as a supplements food in the breakfast cereals and biscuits in the USA, Latin America, and Australia (**Ixtaina et al., 2011**). (**Daria Romankiewicz et al, 2017**) proved high content of fatty acids and phenolic compounds in supplemented wheat bread with chia seeds. (**Dipika Agrahar Murugkar, et al, 2016**) develop a cake by using banana, Chia and soy milk powder as an egg replacer and test its effect on color, texture and rheology properties, the results explained no significant in color, texture and rheology and increasing nutritional value of proteins, iron and fats. (**Lorenza Rodrigues dos Reis Gallo, et al, 2020**) investigated using Chia gel as egg replacer in chocolate cakes after storage in different conditions especially frozen storage, the sensory evaluation results showed acceptable chocolate cake. According to (**Sibele Santos Fernandes and Myriam de las Mercedes Salas Mellado, 2017**) development the mayonnaise with substitution of oil or egg yolk by Chia mucilage, The results were higher sensory evaluation values compared to control mayonnaise, with reduction in lipid content, also Chia seeds can be added

to yogurts, salads, and fruits (Vuksan et al., 2007). (Ullah et al., 2016) studied calcium chemical composition in chia seeds which is higher than milk, also minerals content in Chia seeds is high as calcium 536 mg, magnesium 350 mg, potassium 564 mg, phosphor 751 mg, iron 6.3 mg, copper 1.4 mg, and zinc 4.4 mg (da Silva et al., 2017). According to (Ayerza and Coates, 2000) Chia seeds contain up to 39% of oil as α - linolenic acid (up to 68%). (Meyer & Groot, 2017 & Mariana Grancieri et al, 2019) mentioned that Chia seed is proteins and bioactive peptides source , it is consumed due to health benefits for blood pressure (Creus et al., 2016), obesity, cardiovascular diseases, diabetes (Katarzyna Marcinek and Zbigniew Krejpcio, 2017) and cancer because of antioxidants, proteins, omega-3, fiber and flavonoids high content, also Chia seeds can be used in the juice by soaking in water or fruit juice and consumed as refreshing drinks (Vuksan et al., 2007). Chia seeds have nutritional and therapeutic properties and health promoting properties such as obesity, hypertension, cardiovascular diseases, cancer, diabetes and inflammation because of its nutritional value and activity of antioxidants enzymes (Katarzyna Marcinek and Zbigniew Krejpcio, 2017 & Bárbara Pereira da Silva et al, 2019). According to (Evelyn M. Montes Chañi et al, 2018) "explained that" rats fed on Chia seeds led to increase bone mineral content, bone mineral density and improved hepatic and intestinal morphology, so Chia seeds is a source of functional foods, it is known as a new gold because of its nutritional values and healthy benefits and its importance in the food industry (Ahmet H. Dinçoğlu and Özge Yeşildemir, 2019). So, this study was carried out to use Chia seeds as an eggs replacer for vegetarians suffering from osteoporosis and their impact on the quality of final product.

Materials and Methods

The ingredients used in bakery products formulation were as in **Table 1**. Chia seeds and wheat flour is used to make cake, biscuit and pan cake. Salt, sugar, baking powder, batter, milk, egg and vanilla essence were purchased from a local market from Cairo, Egypt (Agrahar Murugkar and Jha 2009; Ghavidel and Prakash 2007). The Scientific Research Ethics Letter No. EC 2303 was obtained from the Scientific Research Ethics Committee at Fayoum University.

Table (1): Composition of ingredients in cake, biscuit and pan cake

Ingredients (gm)	Cake		Biscuit		Pan cake	
	A	B	A	B	A	B
White flour	150	150	300	300	150	1 cup
Egg	75	—	50	—	25	—
Milk	200 ml	200 ml	—	—	200 ml	200 ml

Baking powder	25	25	5	5	-	-
Vanilla essence	10	10	10	10	10	10
Salt	0.1	0.1	0.1	0.1	0.1	0.1
Sugar	100	100	50	50	10	10
Butter	75	75	75	75	10	10
Chia seeds	-	30	-	20	-	10

A: control

B: Replacement with chia

Bakery products preparation

Formulations presented in **Table 1** and **figure 1, 2, 3, 4, 5 and 6** used to make control of cake, biscuit, pan cake and test products. The control samples were made with egg, but test samples were made with chia seeds as egg replacers. All dry ingredients were sifted thrice for good mixing, the liquid ingredients as batter, eggs (replacing eggs by 10 g chia seeds/ 1 egg in test samples after soaked in 2.27 gm water for 10 min) and sugar were mixed good by using electric mixer to obtain creamy mixture, then add flour, salt, vanilla and baking powder and well mixing to get up creamy mixture, then it was baked in an oven at (180- 200° C) for 30 min, but pan cake was baked on fire directly with a little butter. Some studies achieved the aim of research as (**Gallo et al, 2014**) use chia gel as an egg replacer in chocolate cakes, microbial and sensory qualities after storage, and reduce fat in cakes (**Felisberto et al, 2015**).

Chemical analysis of control and chia seeds products

The samples were analyzed in Food Technology Research Institute to determine the content of vitamins, minerals and natural antioxidants in chia seeds and products according to (**AOAC, 1990**).

Statistical analysis

The data were subjected to ANOVA using randomized complete block design with statistical analyses system ANOVA procedure. (**Püskülcü and I. kiz, 1989**). The results were analyzed as mean values with standard deviations by one-way analysis of variance and Duncan test using Microsoft Excel 2010 at level of $P < 0.05$.

Results and Discussion:

The data presented in **table 2** and **figure 1, 2, 3, 4, 5 and 6** explained the sensory evaluation mean of control and test samples, cake, biscuit and pan cake replaced with Chia seeds were different significantly in taste, color, flavor, texture and overall acceptability at $P < 0.05$, but it was acceptable, biscuit and pan cake recorded (25.00, 23.4 and 23.4) compared with control sample (24.9, 24.9 and 24.6) respectively, sensory evaluation mean was (5.00, 4.68 and 4.68) compared to control sample (4.98, 4.98 and 4.92) respectively. These results agreed with (**Kara collire et al, 2013**) indicated that Chia seeds not change the texture,

color, moisture and flavor in bread banana, but it was sensually acceptable and high in fiber and omega-3 content. According to (Ahmet and Özge Yeşildemir, 2019) reported that chia seeds are a source of functional food and it is a suitable for the food industry as bakery products, sweets and pasta and it is acceptable in taste (Natalia Naumova et al, 2017) because of gel forming and foam enhancer . According to (Bouchra Sayed Ahmad et al, 2015) said that addition of chia seed powder with high levels, improved the antioxidant activity and nutritional value especially Chia cakes, but it led to darker breads without significantly effect on acceptability. (Matheus Rodrigues Oliveira et al, 2015) mentioned that pasta with 7.5% chia flour had higher nutritional value, superior technological characteristics and higher acceptability in the flavor, but the control pasta prevailed in color and texture.

Table (2): Sensory evaluations mean of control and test samples

Samples Sensory evaluation	Cake		biscuit		Pan cake	
	A	B	A	B	A	B
Taste	5.00	5.00	5.00	4.8	4.9	4.8
Color	5.00	5.00	5.00	4.5	5.00	4.6
Flavor	4.9	5.00	4.9	4.7	4.8	4.6
Texture	5.00	5.00	5.00	4.6	4.9	4.6
Pores	5.00	5.00	5.00	4.8	5.00	4.8
Overall acceptability	24.9	25.00	24.9	23.4	24.6	23.4
Mean	4.98	5.00	4.98	4.86	4.92	4.68

A: Control sample

B: Sample with Chia seeds

The data presented in **Table 3** showed Chia seeds nutritional value of protein, fat, ash, carbohydrate and dietary fiber. Proteins content were recorded (17.55 g/100g), this results agreed with (USDA, 2018) determinate protein, oil and fatty acid content in Chia seeds, fats content were (29.91 g/100g), according to (Ayerza and Coates, 2011), ash was (4.19 g/100g) and carbohydrates were (41.48 g/100g), according to (Sargi et al, 2013) estimated the antioxidant capacity, Chia seeds rich in omega-3, carbohydrates, and fiber content was (32.82 g/100gm) according to (USDA, 2018). (Maira Rubi Segura Campos et al, 2014) reported that Chia seed is an excellent natural source of gum with good physicochemical and functional qualities, so it recommended using it in food industry due to dietary fiber excellent content.

Table (3): Nutritional value of Chia seeds

Nutrients	Chia seeds (g/100g)
Protein	17.55
Fat	29.91
Ash	4.19

Carbohydrate	41.48
Dietary fiber	32.82

Data in presented in **table 4** showed vitamins and minerals content in Chia seeds. The vitamins (B1, B2, Niacin, C, E and Folate) were recorded respectively (0.612, 0.198, 8.781, 1.583, 0.456 and 47.894 mg/ 100g), according to the study of (**Bartosz Kulczyn'ski et al, 2019**) studied the chemical composition and nutritional value of Chia seeds, Chia seeds is a good source of vitamins as vitamin B1= 0.6mg/100g, vitamin B2 =0.2mg/100g and niacin =8.8mg/100g, also Chia seeds are rich in phytochemicals. The minerals content as calcium, phosphorus, potassium, magnesium, iron, selenium, manganese, zinc and boron were estimated respectively (621.81, 854.75, 656.53, 363.71, 22.68, 74.21, 2.57, 3.97 and 1.116 mg/100g) respectively. These data agreed with (**Bolaños et al, 2016 & Bartosz Kulczyn'ski et al, 2019**) mentioned that Chia seeds is a good source of protein and minerals as phosphorus=860–919 mg/100 g, calcium =456–631 mg/100 g, potassium =407–726 mg/100g, magnesium =335–449 mg/100 g and boron =1.12±0.02 mg/ 100gm (**Barbara Pereira DA Silva, 2016**) and an important nutrient for bone health and it helps metabolize calcium, magnesium, manganese, and phosphorus, also it decreased bone loss and alveolar bone loss in rats suffering from periodontitis and osteoporosis (**Hulya Toker et al, 2016**).

Table (4): vitamins and mineral content in Chia seeds

Vitamins	Vitamins content (mg/100g)	Mineral	Mineral content (mg/100g)
B1	0.612	Calcium	621.81
B2	0.198	Phosphorus	854.75
Niacin	8.781	Potassium	656.53
C	1.583	Magnesium	363.71
E	0.456	Iron	22.68
Folate	47.894 µg/100g	Selenium	74.21
–	–	Manganese	2.57
–	–	Zinc	3.97
–	–	Boron	1.116±0.02

The data presented in **table 5** explained antioxidants content in Chia seeds. polyphenols, Chlorogenic acid and Caffeic acid content according to High Pressure Liquid Chromatography (HPLC), it were respectively (0.987, 0.252 and 0161 mg/g), these results agreed with the study of (**Bartosz Kulczyn'ski et al, 2019**) reported that Chia seeds is a good source of minerals and vitamins, also bioactive compounds of high antioxidant activity, especially polyphenols and tocopherol, so it is considered a rich source of phytochemicals.

Table 5: Antioxidants content in Chia seeds (mg/g).

Antioxidants	Chia seeds (mg/g)
Polyphenols	0.987

Chlorogenic acid	0.242
Caffeic acid	0.161

Conclusion:

Chia seed is a good source of dietary fiber, omega-3 fatty acids, proteins, bioactive and polyphenolic compounds. It is used in food industry as functional foods as frozen, bakery products, beverages, sweets, pasta, and sausages because its health benefits of dyslipidemia, inflammation, cardiovascular diseases and insulin resistance. In this research Chia seeds were used as substitute egg in cake, biscuit and pan cake for vegetarian people suffering from osteoporosis and its impact on final product quality. Chia seeds products were sensory acceptable compared to control products and it may improvement the levels of Ca, P, bone mineral density (BMD) and bone mineral concentration (BMC) in blood, due to the high content of minerals and polyphenolic compounds.

Control and Chia seeds products



Fig. 1: Cake control



Fig. 2: Cake with chia seeds



Fig. 3: Biscuit control



Fig. 4: Biscuit with Chia seeds



Fig. 5: Pan Cake control



Fig. 6: pan cake with Chia seeds

References

- AOAC, (1990). Official Methods of Analysis, 14th Ed. Association of Official Agricultural Chemists, Washington DC.
- Ahmet H. Dinçoğlu and Özge Yeşildemir, (2019). A Renewable Source as a Functional Food: Chia Seed. *Current Nutrition & Food Science*, 15, 327-337.
- Agrahar Murugkar, D. and Jha, K., (2009). Effect of sprouting on nutritional and functional characteristics of soybean (*Glycine max*L). *J. Food Sci. Technol.* 46, 240–243.
- April Sansevieri, Kimberly Singh and B Burgin Ross, (2018). Using Egg Replacers in A Custard Style Pumpkin Pie. *Journal of Nutrition and Dietetic Practice*. Volume 3(1).
- Arctos Specimen Database, (2018). Collaborative collection management solution. Retrieved from <http://arctos.database.museum/name/Salvia%20hispanica#> ArctosPlants Accessed: September, 10.
- Ayerza R. and Coates W., (2000). Omega-3 enriched eggs: the influence of dietary -linolenic fatty acid source on egg production and composition,” *Canadian Journal of Animal Science*, vol. 81, no.3, pp. 355–362.
- Ayerza R and Coates W, (2011). Protein content, oil content and fatty acid profiles as potential criteria to determine the origin of commercially grown chia (*Salvia hispanica*L.). *Ind Crop Prod*; 34:1366-1371.
- Barbara Pereira DA Silva, (2016). Concentration of nutrients and bioactive compounds in chia, protein quality and iron bioavailability in Wistar rats. Dissertation submitted to the Federal University of Viçosa, as part of the requirements of Program in Science of Nutrition for obtaining the title of Magister Scientiae.
- Bárbara Pereira da Silva, Renata Celi Lopes Toledo, Mariana Granciera, Maria Eliza de Castro Moreiraa, Natália Ramirez Medinab, Roberta Ribeiro Silvac, Neuza Maria Brunoro Costad, Hércia Stampini Duarte Martino, (2019). Effects of chia (*Salvia hispanica* L.) on calcium bioavailability and inflammation in Wistar rats. *Food Research International* 116: 592–599.
- Barrientos V. A., Aguirre A., and Borneo R., (2012). Chia (*Salvia hispanica* L.) can be used to manufacture sugar-snap cookies with an improved nutritional value, *International Journal of Fuzzy Systems*, vol. 1, pp. 135–143.

- Bartosz Kulczynski, Joanna Kobus-Cisowska, Maciej Taczanowski, Dominik Kmiecik and Anna Gramza-Michałowska, (2019). The Chemical Composition and Nutritional Value of Chia Seeds—Current State of Knowledge. *Nutrients*, 11, 1242.
- Bolaños D., Marchevsky E.J., Camiña J.M., (2016). Elemental Analysis of Amaranth, Chia, Sesame, Linen, and Quinoa Seeds by ICP-OES: Assessment of Classification by Chemometrics. *Food Anal Meth*; 9(2):477-484.
- Bouchra Sayed-Ahmad, Thierry Talou, Evita Straumite, Martins Sabovics ID , Zanda Kruma, Zeinab Saad, Akram Hijazi and Othmane Merah, (2018). Evaluation of Nutritional and Technological Attributes of Whole Wheat Based Bread Fortified with Chia Flour. *Journal of Foods*, 7, 135.
- Creus, A., Ferreira, M., Oliva, M., & Lombardo, Y. (2016). Mechanisms involved in the improvement of lipotoxicity and impaired lipid metabolism by dietary α -linolenic acid-rich *Salvia hispanica* L. (salba) seed in the heart of dyslipemic insulin-resistant rats. *Journal of Clinical Medicine*, 5(2), 18. <https://doi.org/10.3390/jcm5020018>.
- Daria Roman kiewicz, Waleed Hameed Hassoon, Grahyna Cacak-Pietrzak, MaBgorzata Sobczyk, Magdalena Wirkowska-WojdyBa, Alicja Ceglińska and Dariusz Dziki, (2017). The Effect of Chia Seeds (*Salvia hispanica* L.) Addition on Quality and Nutritional Value of Wheat Bread .*Journal of Food Quality* Volume, Article ID 7352631, 7 pages.
- da Silva, B. P., Anunciac ,~ao, P. C., Matyelka, J. C. da. S., Della Lucia, C. M., Martino, H. S. D., & Pinheiro Sant'Ana, H. M. (2017). Chemical composition of Brazilian chia seeds grown in different places. *Food Chemistry*, 221, 1709–1716. <https://doi.org/10.1016/j.foodchem.10.115>
- Dipika Agrahar Murugkar, Aiman Zaidi, Nachiket Kotwaliwale and Chetan Gupta, (2016). Effect of egg replacer and composite flour on physical properties color, texture and rheology, nutritional and sensory profile of cakes. *Journal of Food Quality* 39: 425–435.
- Divyashree K., Ashwath Kumar K., Sharma G.K., Semwal A.D. and Umsha., (2016). Development and Storage Stability of Buckwheat - Chia Seeds Fortified Biscuits. *Intl. J. Food. Ferment. Technol.* 6(1): 103-110.
- Ellulu, M. S., (2017). Obesity, cardiovascular disease, and role of vitamin C on inflammation: A review of facts and underlying mechanisms. *Inflammopharmacology*, 25(3), 313–328. <https://doi.org/10.1007/s10787-017-0314-7>.

- Evelyn M. Montes Chañi 1,2 ID , Sandaly O. S. Pacheco 1,2 ID , Gustavo A. Martínez 1 , Maykon R. Freitas 1 , Joaquin G. Ivona 1 , Javier A. Ivona 1 , Winston J. Craig 1,3 and Fabio J. Pacheco, (2018). Long-Term Dietary Intake of Chia Seed Is Associated with Increased Bone Mineral Content and Improved Hepatic and Intestinal Morphology in Sprague-Dawley Rats. *Nutrients*, 10, 922.
- Felisberto, M.H.F.; Wahanik, A.L.; Gomes Ruffi, C.R.; Clerici, M.T.P.S.; Chang, Y.K.; Steel, C.J, (2015). Use of chia (*Salvia hispanica* L.) mucilage gel to reduce fat in pound cakes. *LWT Food Sci. Technol.* 63, 1049–1055.
- Fortino, M. A., Oliva, M. E., Rodriguez, S., Lombardo, Y. B., & Chicco, A, (2017). Could post-weaning dietary chia seed mitigate the development of dyslipidemia, liver steatosis and altered glucose homeostasis in offspring exposed to a sucrose-rich diet from utero to adulthood? *Prostaglandins Leukotrienes and Essential Fatty Acids*, 116, 19–26. <https://doi.org/10.1016/j.plefa.11.003>.
- Gallo, L.R.R.; Botelho, R.B.A.; Ginani, V.C.; de Oliveira, L.L.; Riquette, R.F.R.; Leandro, E.S, (2014). Chia (*Salvia hispanica* L.) gel as egg replacer in chocolate cakes: Applicability and microbial and sensory qualities after storage. *J. Culin. Sci. Technol.*
- George E Inglett, Diejun Chen and Sean Liu, (2014). Physical properties of sugar cookies containing chia–oat composites. *J Sci Food Agric*; 94: 3226–3233.
- Ghavidel, R.A. and Prakash, J., (2007). The impact of germination and dehulling on nutrients, anti-nutrients invitro iron and calcium bioavailability and in vitro starch and protein digestibility of some legume seeds. *LWT Food Sci. Technol.* 40, 1292–1299
- Guiotto E. N., Ixtaina V. Y., Tomas M. C. M., and Nolasco S. M., (2013). Moisture-dependent engineering properties of chia (*Salvia hispanica* L.) seeds,” in *Food Industry*, pp. 381–397, INTECH.
- Hrušková M. and Švec I., (2015). Chemical, rheological and bread characteristics of wheat flour influenced by different forms of chia (*Salvia hispanica* L.). *Emirates Journal of Food and Agriculture*, vol. 27, no. 12, pp. 872–877.
- Hulya Toker, Hakan Ozdemir, Hatice Balci Yuce, Fahrettin Goze, (2016). The effect of boron on alveolar bone loss in osteoporotic rats. *Journal of dental sciences*, <http://dx.doi.org>.
- Ixtaina V.Y., Martinez M.L., Spotorno V., Mateo C.M., Maestri D.M and Diehl B.W.K, (2011). Characterization of chia seed oils obtained by pressing and solvent extraction. *Journal of Food Composition Analysis – New York*, 24 (2): 166-174.

- Kara E. Collier, Megan Souligne, Sam Martinez, (2013). The effect of replacing eggs with chia seeds on the texture, moisture, appearance and flavor of banana bread. *Biology journal*.
- Katarzyna Marcinek and Zbigniew Krejpcio, (2017). Chia seeds (*Salvia hispanica*): health promoting properties and therapeutic applications – a review. *Rocz Panstw Zakl Hig*; 68(2):123-129.
- Liz Grauerholz and Nicole Owens, (2015). *Alternative Food Movements. International Encyclopedia of the Social & Behavioral Sciences*, 2nd edition, Volume1.
- Lorenza Rodrigues dos Reis Gallo, Raquel Braz Assunção Botelho, Verônica Cortez Ginani, Lívia de Lacerda de Oliveira, Roberta Figueiredo Resende Riquette & Eliana dos Santos Leandro, (2020). Chia (*Salvia hispanica* L.) Gel as Egg Replacer in Chocolate Cakes: Applicability and Microbial and Sensory Qualities After Storage. *Journal of Culinary Science & Technology*, Volume 18, Issue 1.
- Maira Rubi Segura Campos, Norma Ciau-Solís, Gabriel Rosado-Rubio, Luis Chel-Guerrero, and David Betancur-Ancona, (2014). Chemical and Functional Properties of Chia Seed (*Salvia hispanica* L.) Gum. *International Journal of Food Science*, Article ID 241053, 5 pages.
- Marcinek, K., & Krejpcio, Z. (2017). Chia seeds (*Salvia hispanica*): Health promoting properties and therapeutic applications—A review. *Rocz Panstw Zakl Hig*, 68(2), 123–129. Retrieved from http://wydawnictwa.pzh.gov.pl/roczniki_pzh/
- Marineli R.S., Moraes E.A., Lenquiste S.A., Godoy A.T., Eberlin M.N. and Marostica M.R., (2014). Chemical characterization and antioxidant potential of Chilean chia seeds and oil (*Salvia hispanica* L.). *LWT – Food Science in Technology*. 59 (2): 1304-1340.
- Mariana Grancieri, Hercia Stampini Duarte Martino, and Elvira Gonzalezde Mejia, (2019). Chia Seed (*Salviahispanica*L.)as a Source of Proteins and Bioactive Peptides with Health Benefits: AReview. *Comprehensive Reviews in Food Science and Food Safety* Vol.18.
- Matheus Rodrigues Oliveira, Mariana Ercolani Novack,Carina Pires Santos, Ernesto Kubota, Claudia Severo da Rosa, (2015). Evaluation of replacing wheat flour with chia flour (*Salvia hispanica* L.) in pasta. *Semina: Ciências Agrárias*, Londrina, v. 36, n. 4, p. 2545-2554, jul/ago.
- Meyer, B., & Groot, R., (2017). Effects of omega-3 long chain polyunsaturated fatty acid supplementation on cardiovascular mortality: The importance of the dose of DHA. *Nutrients*, 9(12), 1305. <https://doi.org/10.3390/nu9121305>

- Natalia Naumova; Aleksandr Lukin; Vadimerlikh, (2017). Quality and nutritional value of pasta products with added ground chia seeds. Bulgarian Journal of Agricultural Science, 23 (No 5), 860–865 Agricultural Academy.
- Oliveira M. R., Novack M. E., Santos C. P., Kubota E., and Da Rosa C. S., (2015). Evaluation of replacing wheat flour with chia flour (*Salvia hispanica* L.) in pasta,” *Semina: Ciências Agrárias*, vol. 36, no. 4, pp. 2545–2553.
- Püskülcü, H. and Kiz, F. (1989). Introduction Statistic (? statisti? e Giri?). Bilgehan Press. Bornova? Zmir.
- Sibele Santos Fernandes and Myriam de las Mercedes Salas Mellado, (2017). Development of Mayonnaise with Substitution of Oil or Egg Yolk by the Addition of Chia (*SalviaHispanicaL.*)Mucilage. *Journal of Food Science* Vol.83, Nr.1.
- Ullah R., Nadeem M., Khalique A., (2016). Nutritional and therapeutic perspectives of Chia (*Salvia hispanica* L.): a review,. *Journal of Food Science and Technology*, vol. 53, no. 4, pp. 1750–1758.
- USDA National Nutrient Database for Standard Reference, (2018). Available online: <http://www.ars.usda.gov/ba/bhnrc/ndl>.
- Vuksan, V., Whitham, D., Sievenpiper, J. L., Jenkins, A. L., Rogovik, A. L., Bazinet, R. P., ... Hanna, A., (2007). Supplementation of conventional therapy with the novel grain salba (*Salvia hispanica* L.) improves major and emerging cardiovascular risk factors in type 2 diabetes. *Diabetes Care*, 30(11), 2804–2810. <https://doi.org/10.2337/dc07-1144>.
- Vuksan, V., Jenkins, A. L., Brissette, C., Choleva, L., Jovanovski, E., Gibbs, A. L., Hanna, A. (2017b). Salba-chia (*Salvia hispanica* L.) in the treatment of overweight and obese patients with type 2 diabetes: A double-blind randomized controlled trial. *Nutrition, Metabolism and Cardiovascular Diseases*, 27(2), 138–146. <https://doi.org/10.1016/j.numecd.11.124>
- Youseff R., Soubh L., Alassaf Z., (2014). Detection of vegetable oils adulteration using desmethylsterols composition. *Int. J. Pharm. Sci. Rev. Res.* 28, 229–233.

الاستفادة من بذور الشيا كبديل للبيض في إعداد منتجات مخابز لدى الأشخاص النباتيين
الذين يعانون من هشاشة العظام وأثرها على جودة المنتج النهائي

الملخص العربي:

تعتبر بدائل الطعام مثل الكربوهيدرات والبروتينات والدهون والسعرات الحرارية أفضل الطرق لاتباع نظام غذائي جيد، و تعتبر بذور الشيا من البدائل الغذائية التي تستخدم كبديل للبيض في تطبيقات الصناعات الغذائية، وذلك لاحتوائها على نسبة عالية من أوميغا ٣، أوميغا ٦، الألياف الغذائية، الرماد، البروتينات، المعادن، المواد الكيميائية النباتية ومصدر جيد للكالسيوم؛ فبذور الشيا تعتبر من المكونات الهامة للنظام الغذائي بسبب خصائصها الكيميائية، الغذائية والتكنولوجية، حيث تمتلك خصائص الوقاية من السمنة، هشاشة العظام، ارتفاع ضغط الدم، حساسية الجلوتين، أمراض القلب والأوعية الدموية، السرطان والداء السكري. و تم إجراء هذا البحث للاستفادة من بذور الشيا كبديل للبيض لإعداد منتجات مخابز للأشخاص النباتيين الذين يعانون من هشاشة العظام وتأثيرها على جودة المنتج النهائي؛ فتم تصنيع كيك، بسكويت وبان كيك بنسبة ٢٥٪ من بذور الشيا بدلاً من البيض، وأظهرت نتائج التقييم الحسي عدم وجود اختلاف معنوي في الطعم واللون والرائحة والقبول العام (٥، ٤.٨٦ و ٤.٦٦) مقارنةً بالعينات الضابطة (٤.٩٨، ٤.٩٢ و ٤.٩٢)، كما أنها مصدر جيد في البورون، البروتينات، الألياف، الماغنسيوم، الكالسيوم، البوتاسيوم والفسفور علي التوالي (٨٥٤.٧٥ and ٦٥٦.٥٣ , ٦٢١.٨١، ٣٦٣.٧١، ٣٢.٨٢، ١٧.٥٥، ١.١١٦) علي التوالي، ومصدر غني في الفيتامينات، مضادات الأكسدة. الخلاصة: يمكن استخدام بذور الشيا كبديل للبيض في الكيك والبان كيك والبسكويت للنباتيين الذين يعانون من هشاشة العظام، وذلك لاحتوائها على البروتينات، الألياف، الكالسيوم، الفوسفور، البورون، المغنيسيوم ومضادات الأكسدة. الكلمات المفتاحية: بذور الشيا، القيمة الغذائية، البدائل الغذائية، هشاشة العظام.